

Safety Data Sheet

according to Regulation (EU) 2015/830
Date first issue: 15/02/2022 Review date: 12/04/2022 Supersedes version of: 15/02/2022 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture Trade name : Biofinder

Product code : ES-BTG-A1451280 Product group : CFH Product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use.Industrial use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns España S.L.U.

C/ Científica Margarita Salas Falgueras, 2 P.I. Raconc

ES-46729 Ador - Valencia

Spain

T+34 962 871 345 - F+34 962 875 867

info.ES@christeyns.com - www.christeyns.com

Distributor

Christeyns UK Ltd. Rutland Street GB- Bradford BD4 7EA United Kingdom

T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43

info@christeyns.be - www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB-WA2 8RE Warrington - Cheshire United Kingdom

T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93 <u>UK-foodinfo@christeyns.com</u> - <u>www.christeyns.com</u>

Distributor

Casoria Company Ltd. Ltd 1 Farnham Street

IE- H12 A9K0 Cavan - Co. Cavan

Ireland

T 00353 49 4361869 - F 00353 49 436 1869

sds@casoria.ie - www.casoria.ie

Distributor

Christeyns Technologies Ltd.

Mazars, Block 3, Harcout Centre, Harcourt Road

IE-2 Dublin Ireland

T+353 1 8146022

1.4. Emergency telephone number

11-11 Emorganoy tolophone number				
Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1 H318

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to Regulation (EU) 2015/830

GHS05

CLP Signal word : Danger

Contains : Laurylethoxy(3EO)sulphate, sodium salt, Hydrogen peroxide

Hazard statements (CLP) : H318 - Causes serious eye damage.

Precautionary statements (CLP) : P280 - Wear protective clothing, eye protection, face protection.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER, a doctor.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrogen peroxide substance with national workplace exposure limit(s) (IE, GB)	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845- 22	5 – 10	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
Laurylethoxy(3EO)sulphate, sodium salt	CAS-no: 68891-38-3 Einecs nr: 500-234-8 REACH-no: 01-2119488639- 16	1-3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
BHT (2,6-di-tert-butyl-p-cresol) substance with national workplace exposure limit(s) (GB)	CAS-no: 128-37-0 Einecs nr: 204-881-4 REACH-no: 01-2119480433- 40	0.1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	CAS-no: 55965-84-9 EG annex nr: 613-167-00-5	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) Acute Tox. 2 (Inhalation), H330

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Hydrogen peroxide	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845- 22	(5 ≤C < 8) Eye Irrit. 2, H319 (8 ≤C < 50) Eye Dam. 1, H318 (35 ≤C < 100) STOT SE 3, H335 (35 ≤C < 50) Skin Irrit. 2, H315 (50 ≤C < 70) Skin Corr. 1B, H314 (50 ≤C < 70) Ox. Liq. 2, H272 (63 ≤C < 100) Aquatic Chronic 3, H412 (70 ≤C < 100) Skin Corr. 1A, H314 (70 ≤C < 100) Ox. Liq. 1, H271
Laurylethoxy(3EO)sulphate, sodium salt	CAS-no: 68891-38-3 Einecs nr: 500-234-8 REACH-no: 01-2119488639- 16	(5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318

Safety Data Sheet

according to Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)		(0.0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0.06 ≤C < 0.6) Eye Irrit. 2, H319 (0.06 ≤C < 0.6) Skin Irrit. 2, H315 (0.6 ≤C ≤ 100) Eye Dam. 1, H318 (0.6 ≤C ≤ 100) Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

Inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Wash skin with plenty of water.

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Eye contact

easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Call a physician immediately.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed

Acute effects eyes : Causes serious eye damage. Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Ingestion

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire

: Toxic fumes may be released.

5.3. Advice for firefighters

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any Firefighting instructions

chemical fire. Prevent fire fighting water from entering the environment.

: Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and

eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

: Ventilate area. **Emergency procedures**

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash

: Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Hydrogen peroxide (7722-84-1)		
Ireland - Occupational Exposure Limits		
Local name	Hydrogen peroxide	
OEL TWA [1]	1.5 mg/m³	
OEL TWA [2]	1 ppm	
OEL STEL	3 mg/m³	
OEL STEL [ppm]	2 ppm	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	Hydrogen peroxide	
WEL TWA (OEL TWA) [1]	1.4 mg/m³	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	2.8 mg/m³	
WEL STEL (OEL STEL) [ppm]	2 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
BHT (2,6-di-tert-butyl-p-cresol) (128-37-0)		
United Kingdom - Occupational Exposure Limits		
Local name	2,6-Di-tert-butyl-p-cresol	
WEL TWA (OEL TWA) [1]	10 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to Regulation (EU) 2015/830

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Protective equipment:

No special required clothing

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

Thermal hazard protection:

No thermal hazards related to the product.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: Orange.Physical state/form: Liquid.

Odour : Characteristic. Odour threshold : Not available Melting point/range : Not applicable Freezing point : Not available Boiling point/Boiling range : Not available Flammability : Non flammable. **Explosive limits** : Not available Lower explosion limit : Not available : Not available Upper explosion limit Flash point : Not available : Not available Autoignition temperature Decomposition temperature : Not available : 4.5 - 5.5 100% Viscosity, kinematic : ≈ 140 mm²/s 40 °C Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50 °C : Not available Density : Not available

Relative density : 1.02 – 1.08 g/l 20/4°C

Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

Safety Data Sheet

according to Regulation (EU) 2015/830

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Laurylethoxy(3EO)sulphate, sodium salt (68891-38-3)	
LD50 oral rat	4100 ml/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal	> 2000 mg/kg bodyweight

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

LD50 oral rat	53 mg/kg
LD50 dermal rabbit	78 mg/kg
LC50 Inhalation - Rat	0.33 mg/l/4h

Hydrogen peroxide (7722-84-1)	
LD50 oral rat	431 mg/kg
LD50 dermal rabbit	6440 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	> 0.17 mg/l/4h

Skin corrosion/irritation : Not classified

pH: 4.5 – 5.5 100%

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Causes serious eye damage.

pH: 4.5 – 5.5 100%

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Hydrogen peroxide (7722-84-1)

IARC group 3 - Not classifiable

Safety Data Sheet

according to Regulation (EU) 2015/830

BHT (2,	6-di-tert-butyl-	p-cresol) ((128-37-0)
---------	-------------------------------	-------------	------------

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Laurylethoxy(3EO)sulphate, sodium salt (68891-38-3)

NOAEL (oral, rat) > 300 mg/kg bodyweight

Hydrogen peroxide (7722-84-1)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Laurylethoxy(3EO)sulphate, sodium salt (68891-38-3)

NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight/day

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Biofinder

Viscosity, kinematic ≈ 140 mm²/s 40 °C

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Not rapidly degradable

Laurylethoxy(3EO)sulphate, sodium salt (68891-38-3)	
LC50 - Fish [1]	> 1 mg/l
EC50 - Crustacea [1]	7.2 mg/l
EC50 72h - Algae [1]	27.7 mg/l
NOEC chronic crustacea	0.27 mg/l

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

LC50 - Fish [1]	0.19 mg/l Rainbow trout
LC50 - Fish [2]	zonnebaars
EC50 - Crustacea [1]	0.16 mg/l
EC50 72h - Algae [1]	0.027 mg/l
ErC50 algae	0.003 mg/l Skeletonema costatum
ErC50 other aquatic plants	0.018 mg/l selenastrum capricornutum
NOEC chronic fish	0.05 mg/l
NOEC chronic crustacea	0.1 mg/l

Safety Data Sheet

according to Regulation (EU) 2015/830

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)		
NOEC chronic algae	0.0014 mg/l	
Hydrogen peroxide (7722-84-1)		
LC50 - Fish [1]	16.4 mg/l	
EC50 - Crustacea [1]	2.4 mg/l	
EC50 72h - Algae [1]	2.62 mg/l	
ErC50 algae	1.38 mg/l	
NOEC chronic crustacea	0.63 mg/l	

12.2. Persistence and degradability

12.2. I ersistence and degradability		
Biofinder		
Persistence and degradability	Not established.	
Laurylethoxy(3EO)sulphate, sodium salt (68891-38-3)		
Persistence and degradability	Readily biodegradable.	
Hydrogen peroxide (7722-84-1)		
Persistence and degradability	Biodegradable.	

12.3. Bioaccumulative potential

12.5. Bloaccumulative potential		
Biofinder		
Bioaccumulative potential Not established.		
Hydrogen peroxide (7722-84-1)		
Log Pow	-1.6	
Bioaccumulative potential	No bioaccumulation.	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Waste / unused products : Avoid release to the environment.

SECTION 14: Transport information

In accordance with

14.1. UN number or ID number	
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
14.4. Packing group	

Safety Data Sheet

according to Regulation (EU) 2015/830

14.5. Environmental hazards

No supplementary information available

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		

Safety Data Sheet

according to Regulation (EU) 2015/830

Abbreviations and acronyms:		
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:			
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H271	May cause fire or explosion; strong oxidiser.		
H272	May intensify fire; oxidiser.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H310	Fatal in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H330	Fatal if inhaled.		

Safety Data Sheet

according to Regulation (EU) 2015/830

Full text of H- and EUH-statements:		
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Ox. Liq. 1	Oxidising Liquids, Category 1	
Ox. Liq. 2	Oxidising Liquids, Category 2	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Eye Dam. 1	H318	Expert judgment

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.