

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Review date: 19/02/2021 Supersedes version of: 24/07/2018 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: Mida ADD 411 PH Product name

Product code : 511 Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Professional use Main use category Use of the substance/mixture : Acidic additive Function or use category : Bleaching agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Distributor Christeyns NV Christeyns Ltd. Afrikalaan 182 **Rutland Street**

9000 GENT - Belgium P.O. Box Bradford BD4 7EA - UK T +32 (0)9/ 223 38 71 - F +32 (0)9/ 233 03 44 Bradford BD4 7EA - United Kingdom

info@christeyns.be - www.christeyns.com T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43

info@christeyns.be - www.christeyns.com

Distributor

Christeyns Technologies Ltd.

Mazars, Block 3, Harcout Centre, Harcourt Road

2 Dublin - Ireland

T Tel: +353 1 8146022

Distributor

Christeyns Food Hygiene Ltd. 2, Cameron Court, Winwick Quay WA2 8RE Warrington - United Kingdom T +44(0)1925 234693 - F +44(0)1925 234693 <u>UK-foodinfo@christeyns.com</u> - <u>www.christeyns.com</u>

1.4 Emergency telephone number

in amongoney telephone named				
Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1	H290
Acute Tox. 4 (Oral)	H302
Skin Irrit. 2	H315
Eye Dam. 1	H318
STOT SE 3	H335

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05 GHS07

CLP Signal word : Danger

Contains : Hydrogen peroxide

Hazard statements (CLP)

: H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H318 - Causes serious eye damage. H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P280 - Wear protective gloves, protective clothing, face protection.

P261 - Avoid breathing Mist, vapours.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrogen peroxide substance with national workplace exposure limit(s) (GB, IE)	(CAS-no) 7722-84-1 (Einecs nr) 231-765-0 (EG annex nr) 008-003-00-9 (REACH-no) 01-2119485845-22	30 – 60	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Hydrogen peroxide	(CAS-no) 7722-84-1 (Einecs nr) 231-765-0 (EG annex nr) 008-003-00-9 (REACH-no) 01-2119485845-22	(5 ≤ C < 8) Eye Irrit. 2, H319 (8 ≤ C < 50) Eye Dam. 1, H318 (35 ≤ C < 100) STOT SE 3, H335 (35 ≤ C < 50) Skin Irrit. 2, H315 (50 ≤ C < 70) Skin Corr. 1B, H314 (50 ≤ C < 70) Ox. Liq. 2, H272 (63 ≤ C < 100) Aquatic Chronic 3, H412 (70 ≤ C < 100) Skin Corr. 1A, H314 (70 ≤ C < 100) Ox. Liq. 1, H271

Full text of H-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures

General advice : In case of doubt or persistent symptoms, consult always a physician.

Inhalation : Take victim to fresh air, in a quiet place and if necessary take medical advice.

Safety Data Sheet

Eye contact

Ingestion

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin contact : Wash off with plenty of water. In case of faintness or symptoms of skin irritation appear,

take medical advice. Immediately remove contaminated clothing or footwear.

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

: Rinse mouth out with water. Do NOT induce vomiting. Immediately call a POISON

CENTER/doctor

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : May cause respiratory irritation.

Acute effects skin : Causes skin irritation.

Acute effects eyes : Causes serious eye damage.

Acute effects oral route : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : water in large amounts.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid undiluted product to come into sewer or superficial water.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Do not absorb in sawdust, paper, cloth or other combustible absorbents. Flush residue with

large amounts of water.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. After use, container has to be completely emptied and

closed. Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. Keep container tightly closed in a cool place.

Material(s) to avoid : Never mix with other materials

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Hydrogen peroxide (7722-84-1)	
Ireland - Occupational Exposure Limits	
Local name	Hydrogen peroxide
OEL TWA [1]	1.5 mg/m³
OEL TWA [2]	1 ppm

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrogen peroxide (7722-84-1)		
OEL STEL	3 mg/m³	
OEL STEL [ppm]	2 ppm	
Regulatory reference	Chemical Agents Code of Practice 2020	
United Kingdom - Occupational Exposure Limits		
Local name	Hydrogen peroxide	
WEL TWA (OEL TWA) [1]	1.4 mg/m³	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	2.8 mg/m³	
WEL STEL (OEL STEL) [ppm]	2 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side-shields (EN 166). Face shield

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment. Chemical resistant safety shoes

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

No personal breathing protective equipment is normally required. In case of insufficient ventilation, wear suitable respiratory equipment. Type P3

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless. clear.

Physical state/form : Liquid.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Odour : Irritating. Odour threshold : Not available Melting point/range : Not available : Not available Freezing point Boiling point/Boiling range : ≥ 100 °C Flammability : Not available **Explosive limits** · Not available Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available Flash point : Not determinable Autoignition temperature : Not available Decomposition temperature : > 108 °C

pH : $2.7 \pm 0.5 (100\%)$; $5.0 \pm 0.5 (1\%)$

Viscosity, kinematic : 0.004 mm²/s
Viscosity, dynamic : 5 mPa·s

Solubility : Water: completely soluble

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 1 mbar (50% H2O2, 30°C)

Vapour pressure at 50 °C : Not available : 1130 kg/l Density Relative density : Not available Relative vapour density at 20 °C : Not available : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No decomposition if stored normally.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No open flames, no sparks, and no smoking. Avoid ignition sources.

10.5. Incompatible materials

Never mix with other materials

10.6. Hazardous decomposition products

Oxygen.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Mida ADD 411 PH	
ATE CLP (oral)	1231.429 mg/kg bodyweight

Hydrogen peroxide (7722-84-1)	
LD50 oral rat	431 mg/kg
LD50 dermal rabbit	6440 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	> 0.17 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

pH: 2.7 ± 0.5 (100%); 5.0 ± 0.5 (1%)

Serious eye damage/irritation : Causes serious eye damage.

pH: 2.7 ± 0.5 (100%); 5.0 ± 0.5 (1%)

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

Hydrogen peroxide (7722-84-1)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Mida ADD 411 PH

Viscosity, kinematic 0.004 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

: Not classified.

Hydrogen peroxide (7722-84-1)		
LC50 - Fish [1]	16.4 mg/l	
EC50 - Crustacea [1]	2.4 mg/l	
EC50 72h - Algae [1]	2.62 mg/l	
ErC50 algae	1.38 mg/l	
NOEC chronic crustacea	0.63 mg/l	

12.2. Persistence and degradability

Mida ADD 411 PH	
Persistence and degradability	Biodegradable.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrogen peroxide (7722-84-1)		
Persistence and degradability Biodegradable.		
12.3. Bioaccumulative potential		

Mida ADD 411 PH

Bioaccumulative potential No bioaccumulation.

Hydrogen peroxide (7722-84-1)

Bioaccumulative potential No bioaccumulation.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local

legislation.

European List of Waste (LoW) code : 20 01 14* - acids

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 2014	UN 2014	UN 2014
14.2. UN proper shippin	g name	
HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	Hydrogen peroxide, aqueous solution
Transport document descr	iption	
UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II, (E)	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II	UN 2014 Hydrogen peroxide, aqueous solution, 5.1 (8), II
14.3. Transport hazard o	class(es)	
5.1 (8)	5.1 (8)	5.1 (8)
5.1	5.1	5.1
14.4. Packing group		
II	II	II
14.5. Environmental haz	ards	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
la aunniamentan informatio	-	

No supplementary information available 14.6. Special precautions for user

Overland transport

: OC1 Classification code (ADR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Limited quantities (ADR) : 11

Packing instructions (ADR) : P504, IBC02
Special packing provisions (ADR) : PP10, B5
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special provisions

(ADR)

: TP2, TP6, TP24

Tank code (ADR) : L4BV(+)

Tank special provisions (ADR) : TU3, TC2, TE8, TE11, TT1

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Special provisions for carriage - Loading, : CV24

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 58

Orange plates :

58 2014

Tunnel code : E EAC code : 2P

Transport by sea

Packing instructions (IMDG) : P504
Special packing provisions (IMDG) : PP10
IBC packing instructions (IMDG) : IBC02
IBC special provisions (IMDG) : B5

Air transport

PCA Limited quantities (IATA) : Y540
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 550
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 554
CAO max net quantity (IATA) : 5L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	%
Oxygen-based bleaching agents ≥30%	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
4.1	Eye contact	Modified	
6.3	Methods for cleaning up	Modified	
9.1	Relative density	Removed	

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
ErC50 (algae)	ErC50 (algae)	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	

Other information

: It is recommended to pass the information of this safety data sheet in an appropriate form to the users. Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products. This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsable for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Met. Corr. 1	Corrosive to metals, Category 1	
Ox. Liq. 1	Oxidising Liquids, Category 1	
Ox. Liq. 2	Oxidising Liquids, Category 2	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Expert judgment
Acute Tox. 4 (Oral)	H302	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.