

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Product form	: Mixture
Product name	: MIDA AIRFUM
Product code	: ES-A1156040
Type of product	: Disinfectant
Product group	: CFH Product

1.2. Relevant identified uses of the substance or mixture and uses advised against
Relevant identified uses

Main use category	: Industrial use, Professional use
Use of the substance/mixture	: Biocide
Function or use category	: Fumigant

Uses advised against

Restrictions on use	: The product should not be used for purposes other than those shown above without first referring to the supplier and obtaining written handling instructions
---------------------	--

1.3. Details of the supplier of the safety data sheet
Supplier

Christeyns España, S.L.U.
C/ Científica Margarita Salas Falgueras, 2
P.I. Raconc
ES 46729 Ador - Valencia, Spain, Valencia
Spain
T +34 962 871 345, F +34 962 875 867
info.ES@christeyns.com, www.christeyns.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: GLYCOLIC ACID; rosin; colophony

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing vapours, spray, mist, gas, fume, dust. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective clothing, eye protection, face protection, hearing protection, protective gloves. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P273 - Avoid release to the environment.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	rosin; colophony (8050-09-7)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	rosin; colophony (8050-09-7)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Other information : Classification according to the national authorities following a biocidal national registration.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Magnesium trisilicate substance with national workplace exposure limit(s) (AT, BE, ES, FI, GB, GR, HR, IE, NL, PL, PT, RO, SE, IS, CH)	CAS-no: 14807-96-6 EC-No.: 238-877-9 REACH-no: 01-2120140278-58	10 – 30	Not classified
SUCROSE substance with national workplace exposure limit(s) (BE, EE, ES, FR, GB, HR, IE, LT, PT)	CAS-no: 57-50-1 EC-No.: 200-334-9	10 – 30	Not classified
potassium chlorate	CAS-no: 3811-04-9 EC-No.: 223-289-7 EC Index-No.: 017-004-00-3	10 - 20	Ox. Sol. 1, H271 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) STOT RE 2, H373
GLYCOLIC ACID	CAS-no: 79-14-1 EC-No.: 201-180-5 REACH-no: 01-2119485579-17	3 – 5	Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=3.6 mg/l/4h) Skin Corr. 1B, H314 Eye Dam. 1, H318 EUH071
rosin; colophony substance with national workplace exposure limit(s) (CZ, GB, HR, LV, RO)	CAS-no: 8050-09-7 EC-No.: 232-475-7 EC Index-No.: 650-015-00-7 REACH-no: 01-2119480418-32	3 – 5	Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation

: Allow affected person to breathe fresh air. Allow the victim to rest.

Skin contact

: Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Seek medical advice. Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs: Seek medical advice.

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : May cause an allergic skin reaction.

Acute effects skin : Causes skin irritation.

Acute effects eyes : Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing fume, gas, dust.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.

Incompatible products

: Strong bases. Strong acids.

Incompatible materials

: Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Magnesium trisilicate (14807-96-6)

Ireland - Occupational Exposure Limits

Local name	Talc
OEL TWA	10 mg/m ³ total inhalable dust 0.8 mg/m ³ respirable dust

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Magnesium trisilicate (14807-96-6)

Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Talc
WEL TWA (OEL TWA)	1 mg/m ³ respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

SUCROSE (57-50-1)

Ireland - Occupational Exposure Limits

Local name	Sucrose
OEL TWA	10 mg/m ³
OEL STEL	20 mg/m ³
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024

United Kingdom - Occupational Exposure Limits

Local name	Sucrose
WEL TWA (OEL TWA)	10 mg/m ³
WEL STEL (OEL STEL)	20 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

rosin; colophony (8050-09-7)

United Kingdom - Occupational Exposure Limits

Local name	Rosin-based solder flux fume
WEL TWA (OEL TWA)	0.05 mg/m ³
WEL STEL (OEL STEL)	0.15 mg/m ³
Remark	Sen (Capable of causing occupational asthma)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

DNEL and PNEC

GLYCOLIC ACID (79-14-1)

DNEL/DMEL (Workers)

Acute - systemic effects, inhalation	9.2 mg/m ³
Acute - local effects, inhalation	9.2 mg/m ³
Long-term - systemic effects, dermal	57.69 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	10.56 mg/m ³
Long-term - local effects, inhalation	1.53 mg/m ³

DNEL/DMEL (General population)

Acute - systemic effects, inhalation	2.3 mg/m ³
Acute - local effects, inhalation	2.3 mg/m ³
Long-term - systemic effects, oral	0.75 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2.6 mg/m ³
Long-term - systemic effects, dermal	28.85 mg/kg bodyweight/day

PNEC (Water)

PNEC aqua (freshwater)	0.0312 mg/l
PNEC aqua (marine water)	0.0031 mg/l
PNEC aqua (intermittent, freshwater)	0.312 mg/l

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GLYCOLIC ACID (79-14-1)	
PNEC (Sediment)	
PNEC sediment (freshwater)	0.115 mg/kg dwt
PNEC sediment (marine water)	0.0115 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.007 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	16.66 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	7 mg/l

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Measure concentrations regularly, and at the time of any change occurring in conditions likely to have consequences on workers exposure. Ensure good ventilation of the work station. Provide adequate ventilation to minimize dust concentrations.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Use eye protection according to EN 166. Chemical goggles or safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
			EN 166, EN 167, EN 168

Skin protection

Protective equipment:

Wear suitable protective clothing

Protective equipment	
Type	Standard
	EN 340
Safety toe footwear	EN ISO 13287, EN ISO 20347

Hand protection:

protective gloves. Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Wear protective gloves.

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.35		EN ISO 374, EN 420

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other skin protection

Materials for protective clothing:

Wear foot protection. Wear protective clothing

Respiratory protection

Respiratory protection:

Wear respiratory protection. Wear appropriate mask

Respiratory protection			
Device	Filter type	Condition	Standard
Aerosol mask, Gas mask	Particle filter, Type P1, Type P2, Type P3, ABEK, Filter AX (brown), Gas/vapour filter	Vapour protection, Mist formation, Gas protection	EN 136, EN 140, EN 405

Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Grey.
Physical state/form	: Powder.
Odour	: odourless.
Odour threshold	: Not available
Melting point/range	: Not available
Freezing point	: Not available
Boiling point/Boiling range	: Not available
Flammability	: 87 °C Non flammable.
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Autoignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.78 kg/l
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

GLYCOLIC ACID (79-14-1)

LD50 oral rat	2040 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-1 (Acute Oral Toxicity), 95% CL: 1443 - 2469
LC50 Inhalation - Rat (Dust/Mist)	3.6 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Magnesium trisilicate (14807-96-6)

IARC group	3 - Not classifiable, 2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

GLYCOLIC ACID (79-14-1)

LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day (OECD 408)

potassium chlorate (3811-04-9)

LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-1 (90-Day Oral Toxicity), Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-1 (90-Day Oral Toxicity), Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

GLYCOLIC ACID (79-14-1)

Viscosity, kinematic	6.149 mm ² /s
----------------------	--------------------------

11.2. Information on other hazards

Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

GLYCOLIC ACID (79-14-1)

LC50 - Fish [1]	164 mg/l (Pimephales promelas)
EC50 - Crustacea [1]	141 mg/l (Daphnia magna)
ErC50 algae	44 mg/l (Pseudokirchneriella subcapitata)
NOEC chronic algae	20 mg/l (NOEC / 72 h / Pseudokirchneriella subcapitata - OECD 201)

potassium chlorate (3811-04-9)

LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Cyprinodon variegatus
LC50 - Fish [2]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	≥ 500 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 500 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '36 d'

12.2. Persistence and degradability

MIDA AIRFUM

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

Magnesium trisilicate (14807-96-6)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

GLYCOLIC ACID (79-14-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

SUCROSE (57-50-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

potassium chlorate (3811-04-9)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

rosin; colophony (8050-09-7)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

MIDA AIRFUM

Bioaccumulative potential	Not established.
---------------------------	------------------

GLYCOLIC ACID (79-14-1)

Log Pow	< -1.2
Bioaccumulative potential	Bioaccumulation unlikely.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	rosin; colophony (8050-09-7)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	rosin; colophony (8050-09-7)

12.6. Endocrine disrupting properties

No additional information available

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

MIDA AIRFUM

Other information	Avoid release to the environment.
-------------------	-----------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Waste / unused products	: Avoid release to the environment.
HP Code	: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration. HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
Not regulated for transport		
14.2. UN proper shipping name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): potassium chlorate (3811-04-9)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Potassium chlorate	3811-04-9	40 % w/w	No licensing permitted	ex 2829 19 00	ex 3824 99 96

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes

Section	Changed item	Comments
1.1	UFI on SDS 1.1	Removed
2.3	Other information	Added
3	Composition/information on ingredients	Modified

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Ox. Sol. 1	Oxidising Solids, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Sens. 1	Skin sensitisation, Category 1

MIDA AIRFUM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H271	May cause fire or explosion; strong oxidiser.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.