

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Review date: 22/02/2021 Supersedes version of: 08/02/2018 Version: 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Mida CHRIOX 15

Product code : 527

Type of product Detergent Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Industrial use, Professional use Main use category Use of the substance/mixture : Peracetic acid based disinfectant

Biocide

1.2.2. Uses advised against

Restrictions on use : For professional use only

1.3. Details of the supplier of the safety data sheet

Distributor Manufacturer Christeyns NV Christeyns Ltd. Afrikalaan 182 **Rutland Street**

9000 GENT - Belgium P.O. Box Bradford BD4 7EA - UK T +32 (0)9/ 223 38 71 - F +32 (0)9/ 233 03 44 Bradford BD4 7EA - United Kingdom

info@christeyns.be - www.christeyns.com T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43

info@christeyns.be - www.christeyns.com

Distributor Distributor

Christeyns Technologies Ltd. Christeyns Food Hygiene Ltd. 2, Cameron Court, Winwick Quay Mazars, Block 3, Harcout Centre, Harcourt Road

WA2 8RE Warrington - United Kingdom 2 Dublin - Ireland T +44(0)1925 234693 - F +44(0)1925 234693 T Tel: +353 1 8146022

<u>UK-foodinfo@christeyns.com</u> - <u>www.christeyns.com</u>

1.4. Emergency telephone number

| Country | Official advisory body | Address | Emergency number | Comment |
|----------------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| Org. Perox. F | H242 |
|-------------------------------------|------|
| Met. Corr. 1 | H290 |
| Acute Tox. 4 (Oral) | H302 |
| Acute Tox. 4 (Inhalation:dust,mist) | H332 |
| Skin Corr. 1A | H314 |
| STOT SE 3 | H335 |
| Aquatic Chronic 1 | H410 |

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS05

GHS07

GHS09

CLP Signal word

: Danger

Contains
Hazard statements (CLP)

: peracetic acid; Hydrogen peroxide
: H242 - Heating may cause a fire.
H290 - May be corrosive to metals.

H302+H332 - Harmful if swallowed or if inhaled. H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P210 - Keep away from open flames, sparks, heat, hot surfaces. — No smoking.

P220 - Keep/Store away from combustibles. P261 - Avoid breathing vapours, Mist, Spray.

P280 - Wear protective gloves, protective clothing, face protection.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor.

EUH-statements

: EUH071 - Corrosive to the respiratory tract.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|---|
| Hydrogen peroxide substance with national workplace exposure limit(s) (GB, IE) | (CAS-no) 7722-84-1 (Einecs nr) 231-765-0 (EG annex nr) 008-003-00-9 (REACH-no) 01-2119485845-22 | 10 – 30 | Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412 |
| peracetic acid substance with national workplace exposure limit(s) (IE) | (CAS-no) 79-21-0 (Einecs nr) 201-186-8 (EG annex nr) 607-094-00-8 (REACH-no) 01-2119531330-56 | 10 - 20 | Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 (ATE=85 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=56.1 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 (M=10) |
| Acetic acid substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit | (CAS-no) 64-19-7 (Einecs nr) 200-580-7 (EG annex nr) 607-002-00-6 (REACH-no) 01-2119475328-30 | 10 - 30 | Flam. Liq. 3, H226 Skin Corr. 1A, H314 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Specific concentration limits: | | |
|--------------------------------|--|--|
| Name | Product identifier | Specific concentration limits |
| Hydrogen peroxide | (CAS-no) 7722-84-1 (Einecs nr) 231-765-0 (EG annex nr) 008-003-00-9 (REACH-no) 01-2119485845-22 | (5 ≤ C < 8) Eye Irrit. 2, H319 (8 ≤ C < 50) Eye Dam. 1, H318 (35 ≤ C < 100) STOT SE 3, H335 (35 ≤ C < 50) Skin Irrit. 2, H315 (50 ≤ C < 70) Skin Corr. 1B, H314 (50 ≤ C < 70) Ox. Liq. 2, H272 (63 ≤ C < 100) Aquatic Chronic 3, H412 (70 ≤ C < 100) Skin Corr. 1A, H314 (70 ≤ C < 100) Ox. Liq. 1, H271 |
| peracetic acid | (CAS-no) 79-21-0 (Einecs nr) 201-186-8 (EG annex nr) 607-094-00-8 (REACH-no) 01-2119531330-56 | (1 ≤C < 100) STOT SE 3, H335 |
| Acetic acid | (CAS-no) 64-19-7 (Einecs nr) 200-580-7 (EG annex nr) 607-002-00-6 (REACH-no) 01-2119475328-30 | (10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C < 100) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : In case of doubt or persistent symptoms, consult always a physician.

Inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial

respiration if necessary.

Skin contact : Take off immediately all contaminated clothing. Wash skin with plenty of water.

Eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Ingestion

: Rinse mouth out with water. Do NOT induce vomiting. Immediately call a POISON

CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : Corrosive to the respiratory tract.

Acute effects skin : Burns.

Acute effects eyes : Corrosive to eyes.

Acute effects oral route : Burns of the upper digestive and respiratory tracts.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : water in large amounts.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

No additional information available

6.4. Reference to other sections

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. After use, container has to be completely emptied and

closed. Never return unused material to original container.

Hygiene measures : Do not eat, drink or smoke when using this product. Take off immediately all contaminated

clothing and wash it before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Store tightly closed in a dry and cool place.

Material(s) to avoid : metals. Reducing agents. Bases.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| peracetic acid (79-21-0) | |
|--|--|
| Ireland - Occupational Exposure Limits | |
| Local name Peracetic acid | |
| OEL STEL [ppm] | 0.4 ppm IFV (Inhlable Fraction and Vapour) |
| Regulatory reference | Chemical Agents Code of Practice 2020 |

| Acetic acid (64-19-7) | | |
|--|---------------------------------------|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | Acetic acid | |
| IOEL TWA | 25 mg/m³ | |
| IOEL TWA [ppm] | 10 ppm | |
| IOEL STEL | 50 mg/m³ | |
| IOEL STEL [ppm] | 20 ppm | |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2017/164 | |
| Ireland - Occupational Exposure Limits | | |
| Local name | Acetic acid | |
| OEL TWA [1] | 25 mg/m³ | |
| OEL TWA [2] | 10 ppm | |
| OEL STEL | 37 mg/m³ | |
| OEL STEL [ppm] | 15 ppm | |
| Notes (IE) | IOELV | |
| Regulatory reference | Chemical Agents Code of Practice 2020 | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Acetic acid | |
| WEL TWA (OEL TWA) [1] | 25 mg/m³ | |
| WEL TWA (OEL TWA) [2] | 10 ppm | |
| WEL STEL (OEL STEL) | 50 mg/m³ | |
| WEL STEL (OEL STEL) [ppm] | 20 ppm | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |

| Hydrogen peroxide (7722-84-1) | |
|--|-------------------|
| Ireland - Occupational Exposure Limits | |
| Local name | Hydrogen peroxide |
| OEL TWA [1] | 1.5 mg/m³ |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Hydrogen peroxide (7722-84-1) | |
|---|---------------------------------------|
| OEL TWA [2] | 1 ppm |
| OEL STEL | 3 mg/m³ |
| OEL STEL [ppm] | 2 ppm |
| Regulatory reference | Chemical Agents Code of Practice 2020 |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Hydrogen peroxide |
| WEL TWA (OEL TWA) [1] | 1.4 mg/m³ |
| WEL TWA (OEL TWA) [2] | 1 ppm |
| WEL STEL (OEL STEL) | 2.8 mg/m³ |
| WEL STEL (OEL STEL) [ppm] | 2 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

| 8.1.4. DNEL and PNEC | |
|--|----------------------------------|
| peracetic acid (79-21-0) | |
| DNEL/DMEL (Workers) | |
| Acute - systemic effects, dermal | High health hazard. |
| Acute - systemic effects, inhalation | 0.6 mg/m³ |
| Acute - local effects, dermal | 0.12 % in mixture |
| Acute - local effects, inhalation | 0.6 mg/m³ |
| Long-term - systemic effects, dermal | High health hazard. |
| Long-term - local effects, dermal | High health hazard. |
| Long-term - systemic effects, inhalation | 0.6 mg/m³ |
| Long-term - local effects, inhalation | 0.6 mg/m³ |
| DNEL/DMEL (General population) | |
| Acute - systemic effects, inhalation | 0.6 |
| Acute - local effects, inhalation | 0.3 mg/m³ |
| Long-term - systemic effects, inhalation | 0.6 mg/m³ |
| Long-term - local effects, inhalation | 0.6 mg/m³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 0.000224 mg/l |
| PNEC aqua (marine water) | Testing technically not feasible |
| PNEC aqua (intermittent, freshwater) | Testing technically not feasible |
| PNEC aqua (intermittent, marine water) | Testing technically not feasible |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 0.00018 mg/kg dwt |
| PNEC sediment (marine water) | Testing technically not feasible |
| PNEC (Soil) | |
| PNEC soil | 0.32 mg/kg dwt |
| PNEC (Oral) | |
| PNEC oral (secondary poisoning) | Not potentially bioaccumulable |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | (STP | |
|--|------|--|
| | | |
| | | |

PNEC sewage treatment plant 0.051 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

| Eye protection: | |
|-----------------|--|
| Face shield | |

8.2.2.2. Skin protection

Protective equipment:

Long sleeved protective clothing. Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Physical state/form : Liquid.

Odour : acrid and pungent.
Odour threshold : Not available
Melting point/range : Not available
Freezing point : Not available
Boiling point/Boiling range : > 100 °C
Flammability : Not available

Explosive properties : Product is not explosive.

Oxidising properties : Oxidising liquids Not classified.

Explosive limits : Not available
Lower explosive limit (LEL) : Not available
Upper explosive limit (UEL) : Not available

Flash point : > 96 °C (EN ISO 2592)

Autoignition temperature : Not available

Decomposition temperature : \geq 60 °C (SADT for <=1000L and 26m3 non-insulated tank)

pH : 0.5 ± 0.5 (100%) Viscosity, kinematic : 1.023 mm²/s at 20 °C Solubility : Water: completely soluble

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Vapour pressure at 50 °C : Not available Density : Not available : 1.153 Relative density Relative vapour density at 20 °C : Not available Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No decomposition if used as directed. Contact with alcaline products gives exothermic reaction. Avoid contamination with organic substances.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heating. Direct sunlight.

10.5. Incompatible materials

Bases. Organic materials. metals.

10.6. Hazardous decomposition products

Acetic acid.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Harmful if inhaled.

| Mida CHRIOX 15 | |
|---------------------|--------------------------|
| ATE CLP (oral) | 441.123 mg/kg bodyweight |
| ATE CLP (dust,mist) | 3.695 mg/l/4h |

| peracetic acid (79-21-0) | |
|-----------------------------------|-------------|
| LD50 oral | 85 mg/kg |
| LD50 dermal rabbit | 56.1 mg/kg |
| LC50 Inhalation - Rat (Dust/Mist) | 1.5 mg/l/4h |

| Acetic acid (64-19-7) | |
|---------------------------------|-----------------------|
| LD50 oral | 3310 mg/kg bodyweight |
| LC50 Inhalation - Rat (Vapours) | > 40000 mg/l/4h |

| Hydrogen peroxide (7722-84-1) | |
|-------------------------------|------------|
| LD50 oral rat | 431 mg/kg |
| LD50 dermal rabbit | 6440 mg/kg |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| LC50 Inhalation - Rat (Dust/Mist) | 1.5 mg/l/4h |
|-----------------------------------|----------------|
| LC50 Inhalation - Rat (Vapours) | > 0.17 mg/l/4h |

Skin corrosion/irritation : Causes severe skin burns.

pH: 0.5 ± 0.5 (100%)

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: 0.5 ± 0.5 (100%)

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Hydrogen peroxide (7722-84-1)

IARC group 3 - Not classifiable

: Not classified Reproductive toxicity

STOT-single exposure : May cause respiratory irritation.

Hydrogen peroxide (7722-84-1)

May cause respiratory irritation. STOT-single exposure

: Not classified STOT-repeated exposure

Aspiration hazard : Not classified

Mida CHRIOX 15

| Viscosity, kinematic | 1.023 mm²/s at 20 °C |
|----------------------|----------------------|

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term (chronic)

: Not classified.

: Very toxic to aquatic life with long lasting effects.

Acetic acid (64-19-7) LC50 - Fish [1] > 1000 mg/l > 300 mg/l EC50 - Crustacea [1] EC50 - Other aquatic organisms [1] > 1000 mg/l waterflea ErC50 algae > 300 mg/l

| Hydrogen peroxide (7722-84-1) | |
|-------------------------------|-----------|
| LC50 - Fish [1] | 16.4 mg/l |
| EC50 - Crustacea [1] | 2.4 mg/l |
| EC50 72h - Algae [1] | 2.62 mg/l |
| ErC50 algae | 1.38 mg/l |
| NOEC chronic crustacea | 0.63 mg/l |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

| peracetic acid (79-21-0) | |
|-------------------------------|---|
| Persistence and degradability | Biodegradable. OECD 301E method (Ready biodegradability: Modified OECD Screening Test). |

| Acetic acid (64-19-7) | |
|-------------------------------|------------------------|
| Persistence and degradability | Readily biodegradable. |

| Hydrogen peroxide (7722-84-1) | |
|-------------------------------|----------------|
| Persistence and degradability | Biodegradable. |

12.3. Bioaccumulative potential

| Mida CHRIOX 15 | |
|---------------------------|---------------------|
| Bioaccumulative potential | No bioaccumulation. |

| peracetic acid (79-21-0) | |
|---|------------------|
| Partition coefficient n-octanol/water (Log Kow) | -0.26 (20°C) |
| Bioaccumulative potential | Not established. |

| Acetic acid (64-19-7) | |
|---------------------------|---------------------|
| Log Pow | -0.2 |
| Bioaccumulative potential | No bioaccumulation. |

| Hydrogen peroxide (7722-84-1) | |
|-------------------------------|---------------------|
| Bioaccumulative potential | No bioaccumulation. |

12.4. Mobility in soil

| Mida CHRIOX 15 | |
|-----------------|-----------|
| Surface tension | 65.4 mN/m |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local

legislation.

European List of Waste (LoW) code : 20 01 14* - acids

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| ADR | IMDG | IATA | |
|------------------------------------|------------------------------------|---------------------------------|--|
| 14.1. UN number or ID number | | | |
| UN 3109 | UN 3109 | UN 3109 | |
| 14.2. UN proper shipping name | | | |
| ORGANIC PEROXIDE TYPE F, LIQUID | ORGANIC PEROXIDE TYPE F, LIQUID | Organic peroxide type f, liquid | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878


Transport document description

UN 3109 ORGANIC
PEROXIDE TYPE F,
LIQUID (peroxy acetic acid,
stabilised), 5.2 (8), (D),
ENVIRONMENTALLY
HAZARDOUS

UN 3109 ORGANIC
PEROXIDE TYPE F,
LIQUID (peroxy acetic
acid), 5.2 (8), MARINE
POLLUTANT/ENVIRONME
NTALLY HAZARDOUS

UN 3109 Organic peroxide type f, liquid (peroxy acetic acid, stabilised), 5.2 (8), ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)



14.4. Packing group

Not applicable Not applicable Not applicable

14.5. Environmental hazards

Dangerous for the environment : Yes environment : Yes Marine pollutant : Yes

No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : P1
Special provisions (ADR) : 122, 274
Limited quantities (ADR) : 125ml
Packing instructions (ADR) : P520, IBC520

Mixed packing provisions (ADR) : MP4
Portable tank and bulk container instructions : T23

(ADR)

Tank code (ADR) : L4BN(+)

Tank special provisions (ADR) : TU3, TU13, TU30, TE12, TA2, TM4

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V1

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV15, CV22, CV24

Hazard identification number (Kemler No.) : 539

Orange plates :

539 3109

Tunnel code : D
EAC code : 2W

Transport by sea

Special provisions (IMDG): 122, 274Packing instructions (IMDG): P520IBC packing instructions (IMDG): IBC520

Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : 570

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PCA max net quantity (IATA) : 10L
CAO packing instructions (IATA) : 570
CAO max net quantity (IATA) : 25L

Special provisions (IATA) : A20, A150, A802 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

| <u> </u> | |
|--|------|
| Detergent Regulation (648/2004/EC): Labelling of contents: | |
| Component | % |
| Oxygen-based bleaching agents | ≥30% |
| phosphonates | <5% |

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out peracetic acid

SECTION 16: Other information

| Indication of changes: | | | |
|------------------------|-------------------------------|----------|----------|
| Section | Changed item | Change | Comments |
| 7.1 | Hygiene measures | Added | |
| 7.1 | Precautions for safe handling | Added | |
| 7.2 | Storage conditions | Added | |
| 9.1 | Oxidising properties | Added | |
| 9.1 | Explosive properties | Added | |
| 9.1 | Relative density | Modified | |
| 9.1 | Viscosity, kinematic | Added | |
| 9.1 | рН | Modified | |
| 12.4 | Surface tension | Added | |

Other information

: It is recommended to pass the information of this safety data sheet in an appropriate form to the users. Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products. This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsable for any damage and loss due to the use of information mentioned in this safety data sheet.

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 | |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 | |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 | |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 | |
|-------------------|--|--|
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Flam. Liq. 3 | Flammable liquids, Category 3 | |
| Met. Corr. 1 | Corrosive to metals, Category 1 | |
| Org. Perox. D | Organic Peroxides, Type D | |
| Org. Perox. F | Organic Peroxides, Type F | |
| Ox. Liq. 1 | Oxidising Liquids, Category 1 | |
| Ox. Liq. 2 | Oxidising Liquids, Category 2 | |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A | |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | |
| H226 | Flammable liquid and vapour. | |
| H242 | Heating may cause a fire. | |
| H271 | May cause fire or explosion; strong oxidiser. | |
| H272 | May intensify fire; oxidiser. | |
| H290 | May be corrosive to metals. | |
| H302 | Harmful if swallowed. | |
| H312 | Harmful in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H332 | Harmful if inhaled. | |
| H335 | May cause respiratory irritation. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| EUH071 | Corrosive to the respiratory tract. | |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|------|--|
| Org. Perox. F | H242 | |
| Met. Corr. 1 | H290 | |
| Acute Tox. 4 (Oral) | H302 | |
| Acute Tox. 4 (Inhalation:dust,mist) | H332 | |
| Skin Corr. 1A | H314 | |
| STOT SE 3 | H335 | |
| Aquatic Chronic 1 | H410 | |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.