

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Mida CHRIOX F2
Product code : 616
Type of product : Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Peracetic acid based foam disinfectant
Biocide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns NV
Afrikalaan 182
9000 GENT - Belgium
T +32 (0)9/ 223 38 71 - F +32 (0)9/ 233 03 44
info@christeyns.be - www.christeyns.com

Distributor

Christeyns UK Ltd.
Rutland Street
Bradford BD4 7EA - United Kingdom
T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43
info@christeyns.be - www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd.
2, Cameron Court, Winwick Quay
WA2 8RE Warrington - United Kingdom
T +44(0)1925 234696 - F +44(0)1925 234693
UK-foodinfo@christeyns.com - www.christeyns.com

Distributor

Casoria Company Ltd.
1 Farnham Street
H12 A9K0 Cavan - Ireland
T 00353 49 4361869 - F 00353 49 436 1869
sds@casoria.ie - www.casoria.ie

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcourt Centre, Harcourt Road
2 Dublin - Ireland
T Tel: +353 1 8146022

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Ox. Liq. 2 H272
Met. Corr. 1 H290
Acute Tox. 4 (Oral) H302
Skin Corr. 1B H314
Eye Dam. 1 H318
STOT SE 3 H335
Aquatic Chronic 2 H411

Full text of hazard classes, H- and EUH-statements: see section 16

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878


Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



CLP Signal word

: Danger

Contains

: peracetic acid; Acetic acid; Hydrogen peroxide; Sulphuric acid; phosphonic acid; Isotridecanol, ethoxylated; Dodecylbenzenesulfonic acid

Hazard statements (CLP)

: H272 - May intensify fire; oxidiser.
H290 - May be corrosive to metals.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P210 - Keep away from heat, sparks, open flames, hot surfaces. — No smoking.
P234 - Keep only in original container.
P260 - Do not breathe Mist, Spray, vapours.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P284 - Wear respiratory protection.
P303+P361+P353+P310 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P403+P235 - Store in a well-ventilated place. Keep cool.

EUH-statements

: EUH071 - Corrosive to the respiratory tract.

2.3. Other hazards

Component	
Isotridecanol, ethoxylated (69011-36-5)	PBT: not relevant – no registration required vPvB: not relevant – no registration required

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetic acid substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	(CAS-no) 64-19-7 (Einecs nr) 200-580-7 (EG annex nr) 607-002-00-6 (REACH-no) 01-2119475328-30	10 – 30	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Hydrogen peroxide substance with national workplace exposure limit(s) (IE, GB)	(CAS-no) 7722-84-1 (Einecs nr) 231-765-0 (EG annex nr) 008-003-00-9 (REACH-no) 01-2119485845-22	5 – 10	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isotridecanol, ethoxylated	(CAS-no) 69011-36-5 (Einecs nr) 931-138-8 (EG annex nr) / (REACH-no) Exempted	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg) Eye Dam. 1, H318
Dodecylbenzenesulfonic acid	(CAS-no) 85536-14-7 (Einecs nr) 287-494-3 (REACH-no) 01-2119490234-40	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=1470 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
peracetic acid substance with national workplace exposure limit(s) (IE)	(CAS-no) 79-21-0 (Einecs nr) 201-186-8 (EG annex nr) 607-094-00-8 (REACH-no) 01-2119531330-56	1 – 3	Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 (ATE=85 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=56.1 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 (M=10)

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Acetic acid	(CAS-no) 64-19-7 (Einecs nr) 200-580-7 (EG annex nr) 607-002-00-6 (REACH-no) 01-2119475328-30	(10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C < 100) Skin Corr. 1A, H314
Hydrogen peroxide	(CAS-no) 7722-84-1 (Einecs nr) 231-765-0 (EG annex nr) 008-003-00-9 (REACH-no) 01-2119485845-22	(5 ≤C < 8) Eye Irrit. 2, H319 (8 ≤C < 50) Eye Dam. 1, H318 (35 ≤C < 100) STOT SE 3, H335 (35 ≤C < 50) Skin Irrit. 2, H315 (50 ≤C < 70) Skin Corr. 1B, H314 (50 ≤C < 70) Ox. Liq. 2, H272 (63 ≤C < 100) Aquatic Chronic 3, H412 (70 ≤C < 100) Skin Corr. 1A, H314 (70 ≤C < 100) Ox. Liq. 1, H271
peracetic acid	(CAS-no) 79-21-0 (Einecs nr) 201-186-8 (EG annex nr) 607-094-00-8 (REACH-no) 01-2119531330-56	(1 ≤C < 100) STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	: Remove person to fresh air and keep comfortable for breathing.
Skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Wash off with plenty of water.
Eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Rinse mouth out with water. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation	: May cause respiratory irritation.
Acute effects skin	: Causes severe burns.
Acute effects eyes	: Causes serious eye damage.
Acute effects oral route	: Harmful if swallowed. Burns of the upper digestive and respiratory tracts.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : water in large amounts.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Not applicable.

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water. Do not absorb in sawdust, paper, cloth or other combustible absorbents.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. After use, container has to be completely emptied and closed. Never return unused material to original container.

Hygiene measures

: Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep cool. Protect from sunlight. Store in a well-ventilated place. Store away from other materials. Keep only in original container.

Material(s) to avoid

: Never mix with other materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

peracetic acid (79-21-0)	
Ireland - Occupational Exposure Limits	
Local name	Peracetic acid
OEL STEL [ppm]	0.4 ppm IFV (Inhale Fraction and Vapour)
Regulatory reference	Chemical Agents Code of Practice 2020

Acetic acid (64-19-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Acetic acid
IOEL TWA	25 mg/m ³
IOEL TWA [ppm]	10 ppm
IOEL STEL	50 mg/m ³
IOEL STEL [ppm]	20 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
Ireland - Occupational Exposure Limits	
Local name	Acetic acid
OEL TWA [1]	25 mg/m ³
OEL TWA [2]	10 ppm
OEL STEL	37 mg/m ³

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Acetic acid (64-19-7)	
OEL STEL [ppm]	15 ppm
Notes (IE)	IOELV
Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom - Occupational Exposure Limits	
Local name	Acetic acid
WEL TWA (OEL TWA) [1]	25 mg/m ³
WEL TWA (OEL TWA) [2]	10 ppm
WEL STEL (OEL STEL)	50 mg/m ³
WEL STEL (OEL STEL) [ppm]	20 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Hydrogen peroxide (7722-84-1)	
Ireland - Occupational Exposure Limits	
Local name	Hydrogen peroxide
OEL TWA [1]	1.5 mg/m ³
OEL TWA [2]	1 ppm
OEL STEL	3 mg/m ³
OEL STEL [ppm]	2 ppm
Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen peroxide
WEL TWA (OEL TWA) [1]	1.4 mg/m ³
WEL TWA (OEL TWA) [2]	1 ppm
WEL STEL (OEL STEL)	2.8 mg/m ³
WEL STEL (OEL STEL) [ppm]	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:
Safety glasses with side-shields (EN 166)

8.2.2.2. Skin protection

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment. Long sleeved protective clothing

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

Provide adequate ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless. clear.
Physical state/form	: Liquid.
Odour	: acrid and pungent.
Odour threshold	: Not available
Melting point/range	: Not available
Freezing point	: Not available
Boiling point/Boiling range	: 100 – 110 °C
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 90 °C
Autoignition temperature	: > 250 °C
Decomposition temperature	: Not available
pH	: 0.5 ± 0,5 (100%)
Viscosity, kinematic	: 1.065 mm ² /s at 20 °C
Viscosity, dynamic	: < 30 mPa·s
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1.058 kg/l
Relative density	: 1.062
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts exothermically.

10.2. Chemical stability

No decomposition if stored normally.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Direct sunlight. Open flame.

10.5. Incompatible materials

Never mix with other materials.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Mida CHRIOX F2

ATE CLP (oral)	1717.934 mg/kg bodyweight
----------------	---------------------------

peracetic acid (79-21-0)

LD50 oral	85 mg/kg
-----------	----------

LD50 dermal rabbit	56.1 mg/kg
--------------------	------------

LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
-----------------------------------	-------------

Acetic acid (64-19-7)

LD50 oral	3310 mg/kg bodyweight
-----------	-----------------------

LC50 Inhalation - Rat (Vapours)	> 40000 mg/l/4h
---------------------------------	-----------------

Hydrogen peroxide (7722-84-1)

LD50 oral rat	431 mg/kg
---------------	-----------

LD50 dermal rabbit	6440 mg/kg
--------------------	------------

LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
-----------------------------------	-------------

LC50 Inhalation - Rat (Vapours)	> 0.17 mg/l/4h
---------------------------------	----------------

Isotridecanol, ethoxylated (69011-36-5)

LD50 oral rat	> 300 (≤ 2000) mg/kg
---------------	----------------------

LD50 dermal rabbit	> 2000 mg/kg
--------------------	--------------

Dodecylbenzenesulfonic acid (85536-14-7)

LD50 oral rat	≈ 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588
---------------	---

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
-----------------	--

Skin corrosion/irritation : Causes severe skin burns.
pH: 0.5 ± 0,5 (100%)

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Serious eye damage/irritation	: Causes serious eye damage. pH: 0.5 ± 0,5 (100%)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Hydrogen peroxide (7722-84-1)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.

Hydrogen peroxide (7722-84-1)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

Isotridecanol, ethoxylated (69011-36-5)

NOAEL (oral, rat)	> 250 mg/kg bodyweight
-------------------	------------------------

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Mida CHRIOX F2

Viscosity, kinematic	1.065 mm ² /s at 20 °C
----------------------	-----------------------------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Acetic acid (64-19-7)

LC50 - Fish [1]	> 1000 mg/l
EC50 - Crustacea [1]	> 300 mg/l
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
ErC50 algae	> 300 mg/l

Hydrogen peroxide (7722-84-1)

LC50 - Fish [1]	16.4 mg/l
EC50 - Crustacea [1]	2.4 mg/l
EC50 72h - Algae [1]	2.62 mg/l
ErC50 algae	1.38 mg/l
NOEC chronic crustacea	0.63 mg/l

Isotridecanol, ethoxylated (69011-36-5)

LC50 - Fish [1]	> 1 mg/l
EC50 - Crustacea [1]	> 1 mg/l
ErC50 algae	1 – 10 mg/l

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dodecylbenzenesulfonic acid (85536-14-7)	
LC50 - Fish [1]	1.67 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	2.9 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	1 mg/l waterflea
EC50 - Other aquatic organisms [2]	10 mg/l
ErC50 algae	14 mg/l
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

Mida CHRIOX F2	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

peracetic acid (79-21-0)	
Persistence and degradability	Biodegradable. OECD 301E method (Ready biodegradability: Modified OECD Screening Test).

Acetic acid (64-19-7)	
Persistence and degradability	Readily biodegradable.

Hydrogen peroxide (7722-84-1)	
Persistence and degradability	Biodegradable.

Isotridecanol, ethoxylated (69011-36-5)	
Persistence and degradability	Readily biodegradable, according to appropriate OECD test. Not established.

12.3. Bioaccumulative potential

Mida CHRIOX F2	
Bioaccumulative potential	No bioaccumulation.

peracetic acid (79-21-0)	
Partition coefficient n-octanol/water (Log Kow)	-0.26 (20°C)
Bioaccumulative potential	Not established.

Acetic acid (64-19-7)	
Log Pow	-0.2
Bioaccumulative potential	No bioaccumulation.

Hydrogen peroxide (7722-84-1)	
Bioaccumulative potential	No bioaccumulation.

Isotridecanol, ethoxylated (69011-36-5)	
Bioaccumulative potential	No bioaccumulation. Not established.

Dodecylbenzenesulfonic acid (85536-14-7)	
Log Pow	2

12.4. Mobility in soil

No additional information available

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

Component	
Isotridecanol, ethoxylated (69011-36-5)	PBT: not relevant – no registration required vPvB: not relevant – no registration required

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products




: Collect all waste in suitable and labelled containers and dispose according to local legislation.

European List of Waste (LoW) code

: 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 3098	UN 3098	UN 3098
14.2. UN proper shipping name		
OXIDIZING LIQUID, CORROSIVE, N.O.S.	OXIDIZING LIQUID, CORROSIVE, N.O.S.	Oxidizing liquid, corrosive, n.o.s.
Transport document description		
UN 3098 OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid), 5.1 (8), III, (E), ENVIRONMENTALLY HAZARDOUS	UN 3098 OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid), 5.1 (8), III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3098 Oxidizing liquid, corrosive, n.o.s. (Acetic acid Peracetic acid), 5.1 (8), III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)		
5.1 (8)	5.1 (8)	5.1 (8)
		
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : OC1
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Packing instructions (ADR) : P504, IBC02, R001

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Mixed packing provisions (ADR)	: MP2
Transport category (ADR)	: 3
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Tunnel code	: E
EAC code	: 2W

Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Packing instructions (IMDG)	: P504
IBC packing instructions (IMDG)	: IBC02

Air transport

PCA Limited quantities (IATA)	: Y541
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 551
PCA max net quantity (IATA)	: 2.5L
CAO packing instructions (IATA)	: 555
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	%
Oxygen-based bleaching agents	5-15%
phosphonates, non-ionic surfactants, anionic surfactants	<5%

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out

peracetic acid

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
1.2	Use of the substance/mixture	Modified	
4.1	Skin contact	Modified	
4.2	Acute effects skin	Modified	
4.2	Acute effects oral route	Modified	
9.1	Relative density	Added	
9.1	Viscosity, kinematic	Added	

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ErC50 (algae)	ErC50 (algae)
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Other information : It is recommended to pass the information of this safety data sheet in an appropriate form to the users. Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products. This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Met. Corr. 1	Corrosive to metals, Category 1
Org. Perox. D	Organic Peroxides, Type D
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2

Mida CHRIOX F2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Ox. Liq. 2	H272	Expert judgment
Met. Corr. 1	H290	Calculation method
Acute Tox. 4 (Oral)	H302	Calculation method
Skin Corr. 1B	H314	Expert judgment
Eye Dam. 1	H318	Expert judgment
STOT SE 3	H335	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.