

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Mida FLOW 123 KS
Product code : 674
Type of product : Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : Alkaline CIP detergent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns NV
Afrikalaan 182
9000 GENT - Belgium
T +32 (0)9/ 223 38 71 - F +32 (0)9/ 233 03 44
info@christeyns.be - www.christeyns.com

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcourt Centre, Harcourt Road
2 Dublin - Ireland
T Tel: +353 1 8146022

Distributor

Christeyns UK Ltd.
Rutland Street
Bradford BD4 7EA - United Kingdom
T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43
info@christeyns.be - www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd.
2, Cameron Court, Winwick Quay
WA2 8RE Warrington - United Kingdom
T +44(0)1925 234693 - F +44(0)1925 234693
UK-foodinfo@christeyns.com - www.christeyns.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1 H290
Skin Corr. 1A H314

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

CLP Signal word : Danger
Contains : Sodium hydroxide; Potassium hydroxide

Mida FLOW 123 KS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP)	: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P280 - Wear protective gloves, protective clothing, eye protection, face shield. P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician. P501 - Dispose of contents/container to a hazardous or special waste collection point.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide substance with national workplace exposure limit(s) (GB, IE)	(CAS-no) 1310-73-2 (Einecs nr) 215-185-5 (EG annex nr) 011-002-00-6 (REACH-no) 01-2119457892-27	10 – 30	Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
Potassium hydroxide substance with national workplace exposure limit(s) (GB, IE)	(CAS-no) 1310-58-3 (Einecs nr) 215-181-3 (EG annex nr) 019-002-00-8 (REACH-no) 01-2119487136-33	10 – 30	Acute Tox. 4 (Oral), H302 (ATE=333 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
Tetrasodium Ethylene Diamine Tetraacetate	(CAS-no) 64-02-8 (Einecs nr) 200-573-9 (EG annex nr) 607-428-00-2 (REACH-no) 01-2119486762-27	5 – 10	Acute Tox. 4 (Oral), H302 (ATE=1780 mg/kg bodyweight) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Eye Dam. 1, H318 STOT RE 2, H373
2-Phosphonobutane-1,2,4-tricarboxylic acid	(CAS-no) 37971-36-1 (Einecs nr) 253-733-5 (REACH-no) 05-2115916380-54	1 – 3	Eye Irrit. 2, H319

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sodium hydroxide	(CAS-no) 1310-73-2 (Einecs nr) 215-185-5 (EG annex nr) 011-002-00-6 (REACH-no) 01-2119457892-27	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314
Potassium hydroxide	(CAS-no) 1310-58-3 (Einecs nr) 215-181-3 (EG annex nr) 019-002-00-8 (REACH-no) 01-2119487136-33	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	: In case of doubt or persistent symptoms, consult always a physician. For symptom description, see item 11.
Inhalation	: Take victim to fresh air, in a quiet place and if necessary take medical advice.
Skin contact	: Take off immediately all contaminated clothing. In case of faintness or symptoms of skin irritation appear, take medical advice. Wash off with plenty of water.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Ingestion	: Rinse mouth with water, do not induce vomiting, call a doctor.

Mida FLOW 123 KS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : To our knowledge, the product does not present any particular risk, under normal conditions of use.

Acute effects skin : Corrosive.

Acute effects eyes : Corrosive.

Acute effects oral route : Corrosive.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Not applicable.

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. After use, container has to be completely emptied and closed. Never return unused material to original container.

Hygiene measures : Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Store tightly closed in a dry and cool place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium hydroxide (1310-73-2)	
Ireland - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL STEL	2 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Mida FLOW 123 KS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Potassium hydroxide (1310-58-3)	
Ireland - Occupational Exposure Limits	
Local name	Potassium hydroxide
OEL STEL	2 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:
Safety glasses with side-shields (EN 166)

8.2.2.2. Skin protection

Protective equipment:
Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:
Extra personal protection: P2 filter respirator for harmful particles

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point/range	: Not available

Mida FLOW 123 KS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Freezing point	: Not available
Boiling point/Boiling range	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not applicable
Autoignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 13.5
Viscosity, kinematic	: 5 – 25 mm ² /s
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1325 kg/l
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Humid air.

10.5. Incompatible materials

Never mix with other materials.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Heating up due to reaction with acids is possible.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)

LD50 oral rat	1780 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 1 mg/l/4h

Mida FLOW 123 KS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Potassium hydroxide (1310-58-3)	
LD50 oral rat	333 mg/kg

Skin corrosion/irritation	: Causes severe skin burns. pH: 13.5
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 13.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Tetrasodium Ethylene Diamine Tetracetate (64-02-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Mida FLOW 123 KS	
Viscosity, kinematic	5 – 25 mm ² /s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

Tetrasodium Ethylene Diamine Tetracetate (64-02-8)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	140 mg/l
EC50 72h - Algae [1]	> 100 mg/l
ErC50 algae	> 100 mg/l
NOEC chronic fish	> 25.7 mg/l (Danio rerio)
NOEC chronic crustacea	> 25 mg/l (Daphnia magna)

Potassium hydroxide (1310-58-3)	
LC50 - Fish [1]	80 mg/l
EC50 - Crustacea [1]	30 – 1000 mg/l (OECD 202)

Mida FLOW 123 KS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

Mida FLOW 123 KS	
Persistence and degradability	When added in small quantities, there are no expected effects on the working of the biological water cleaning station.

Sodium hydroxide (1310-73-2)

Persistence and degradability	Not applicable.
-------------------------------	-----------------

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

12.3. Bioaccumulative potential

Mida FLOW 123 KS	
Bioaccumulative potential	No bioaccumulation.

Sodium hydroxide (1310-73-2)

Log Pow	-3.88
Bioaccumulative potential	No bioaccumulation.

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

Potassium hydroxide (1310-58-3)

Log Pow	0.75
---------	------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local legislation.

European List of Waste (LoW) code : 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information




In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1719	UN 1719	UN 1719
14.2. UN proper shipping name		
CAUSTIC ALKALI LIQUID, N.O.S.	CAUSTIC ALKALI LIQUID, N.O.S.	Caustic alkali liquid, n.o.s.
Transport document description		
UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide ; Potassium hydroxide), 8, II, (E)	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide ; Potassium hydroxide), 8, II	UN 1719 Caustic alkali liquid, n.o.s. (Sodium hydroxide ; Potassium hydroxide), 8, II

Mida FLOW 123 KS

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C5
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel code	: E
EAC code	: 2R

Transport by sea

Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02

Air transport

PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

Mida FLOW 123 KS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:

Component	%
EDTA and salts thereof	5-15%
phosphonates	<5%

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format	Modified	
4.1	Skin contact	Modified	
4.1	Inhalation	Modified	
4.1	Ingestion	Modified	
4.2	Acute effects inhalation	Modified	
4.2	Acute effects eyes	Modified	
7.1	Hygiene measures	Modified	
15.1	Regulatory reference	Modified	

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ErC50 (algae)	ErC50 (algae)
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
STP	Sewage treatment plant

Mida FLOW 123 KS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

vPvB	Very Persistent and Very Bioaccumulative
------	--

Other information : It is recommended to pass the information of this safety data sheet in an appropriate form to the users. Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products. This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Calculation method
Skin Corr. 1A	H314	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.