MIDA FOAM 157 AY

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Date first issue: 18/02/2020 Review date: 04/05/2022 Supersedes version of: 18/02/2020 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : MIDA FOAM 157 AY

Product code : IT00029

Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use

Use of the substance/mixture : Alkaline foam detergent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Christeyns Italia S.r.l. - Divisione Food Hygiene
Via Aldo Moro 30
IT– 20042 PESSANO CON BORNAGO (MI)
Italy
T +39 (02) 99765220 - F +39 (02) 99765249
info.fhitalia@christeyns.com - www.christeyns.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS05

CLP Signal word : Danger

Contains : Sodium hydroxide, Tetrasodium Ethylene Diamine Tetraacetate, Potassium hydroxide

Hazard statements (CLP) : H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor, a POISON CENTER.
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a doctor, a POISON CENTER.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

doctor, a POISON CENTER.
P390 - Absorb spillage to prevent material damage.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide substance with national workplace exposure limit(s) (IE, GB)	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892-27	5 – 10	Skin Corr. 1A, H314
Tetrasodium Ethylene Diamine Tetraacetate	CAS-no: 64-02-8 Einecs nr: 200-573-9 EG annex nr: 607-428-00-2 REACH-no: 01-2119486762-27	3 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 STOT RE 2, H373
Isopropanol substance with national workplace exposure limit(s) (GB)	CAS-no: 67-63-0 Einecs nr: 200-661-7 EG annex nr: 603-117-00-0 REACH-no: 01-2119457558-25	3 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
TRIETHANOLAMINE substance with national workplace exposure limit(s) (IE)	CAS-no: 102-71-6 Einecs nr: 203-049-8 REACH-no: 01-2119486482-31	3 – 5	Not classified
Secondary alcanesulfonate, sodium salt	CAS-no: 97489-15-1 Einecs nr: 307-055-2 REACH-no: 01-2119489924-20	1 – 3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium cumenesulphonate	CAS-no: 15763-76-5 Einecs nr: 239-854-6 REACH-no: 01-2119489411-37	1 – 3	Eye Irrit. 2, H319
Potassium hydroxide substance with national workplace exposure limit(s) (IE, GB)	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136-33	1 – 3	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
Amines, C12-14, alkyldimethyl, N-oxides	CAS-no: 308062-28-4 Einecs nr: 931-292-6 REACH-no: 01-2119490061-47	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits**
Sodium hydroxide	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892-27	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits**
Secondary alcanesulfonate, sodium salt	CAS-no: 97489-15-1 Einecs nr: 307-055-2 REACH-no: 01-2119489924-20	(60 ≤C < 100) Acute Tox. 4 (Oral), H302
Potassium hydroxide	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136-33	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : In case of doubt or persistent symptoms, consult always a physician.

Inhalation : If you feel unwell, seek medical advice.

Skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

Ingestion : Rinse mouth. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin : Burns.

Acute effects eyes : Serious damage to eyes.

Acute effects oral route : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used. Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe Mist, Spray, gas, vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment. Stop leak without risks if possible.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Never mix with other materials. Never return unused material to original container. Avoid contact with skin and eyes. Do not breathe Aerosol, Mist, Spray, gas, vapours. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Store tightly closed in a dry and cool place. Store in corrosive resistant container with a resistant inner liner. Store in a well-ventilated place.

Incompatible products : Strong acids.

Incompatible materials : Metals.

Material(s) to avoid : Acids.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium hydroxide (1310-73-2)	
Ireland - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL STEL	2 mg/m³
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

TRIETHANOLAMINE (102-71-6)	
Ireland - Occupational Exposure Limits	
Local name	Triethanolamine
OEL TWA [1]	5 mg/m³
Regulatory reference	Chemical Agents Code of Practice 2021

Potassium hydroxide (1310-58-3)	
Ireland - Occupational Exposure Limits	
Local name	Potassium hydroxide
OEL STEL	2 mg/m³
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Isopropanol (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
WEL STEL (OEL STEL) [ppm]	500 ppm

Isopropanol (67-63-0)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures
No additional information available

8.1.3. Air contaminants formed
No additional information available

8.1.4. DNEL and PNEC
No additional information available

8.1.5. Control banding
No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):

8.2.2.1. Eye and face protection

Eye protection:

Wear security glasses which protect from splashes . Safety glasses

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards
No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light yellow.
Physical state/form	: Clear Liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point/range	: Not applicable
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: Not determined as it is not relevant for the characterization of the product
Flammability	: Not applicable

Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: ≥ 39.5 Based on similar alkaline products
Autoignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 12.9 ± 0.5 (100%)
pH solution	: 5 (≥ 12.8) %
Viscosity, kinematic	: Not determined as it is not relevant for the characterization of the product
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not determined as it is not relevant for the characterization of the product
Vapour pressure at 50 °C	: Not available
Density	: 1.108 g/cm³ ± 0.010
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not sustained combustibility : Yes

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Never mix with other materials. metals.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
LD50 oral rat	1780 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 1 mg/l/4h
Potassium hydroxide (1310-58-3)	
LD50 oral rat	333 mg/kg
Sodium cumenesulphonate (15763-76-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity)
Isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight (OECD Guideline 401)

Secondary alcanesulfonate, sodium salt (97489-15-1)	
LD50 oral rat	500 – 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)	
LD50 oral rat	1064 mg/kg

Skin corrosion/irritation : Causes severe skin burns.
pH: 12.9 ± 0.5 (100%)

Serious eye damage/irritation : Causes serious eye damage.
pH: 12.9 ± 0.5 (100%)

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

TRIETHANOLAMINE (102-71-6)	
IARC group	3 - Not classifiable

Isopropanol (67-63-0)	
IARC group	3 - Not classifiable

Sodium cumenesulphonate (15763-76-5)	
NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Sodium cumenesulphonate (15763-76-5)	
NOAEL (oral, rat, 90 days)	763 – 3534 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Aspiration hazard : Not classified

MIDA FOAM 157 AY	
Viscosity, kinematic	Not determined as it is not relevant for the characterization of the product

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
LC50 - Fish [1]	> 100 mg/l

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
EC50 - Crustacea [1]	140 mg/l
EC50 72h - Algae [1]	> 100 mg/l
ErC50 algae	> 100 mg/l
NOEC chronic fish	> 25.7 mg/l (Danio rerio)
NOEC chronic crustacea	> 25 mg/l (Daphnia magna)

Potassium hydroxide (1310-58-3)	
LC50 - Fish [1]	80 mg/l
EC50 - Crustacea [1]	30 – 1000 mg/l (OECD 202)

Sodium cumenesulphonate (15763-76-5)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	> 100 mg/l

Secondary alcanesulfonate, sodium salt (97489-15-1)	
LC50 - Fish [1]	5.5 mg/l Test organisms (species): Leuciscus idus melanotus
LC50 - Fish [2]	8.4 mg/l Test organisms (species): Leuciscus idus melanotus
EC50 - Crustacea [1]	9.81 mg/l (Daphnia magna)
EC50 72h - Algae [1]	> 61 mg/l (Desmodesmus subspicatus)
NOEC chronic fish	0.85 mg/l (Oncorhynchus mykiss (rainbow trout))
NOEC chronic crustacea	0.36 mg/l Daphnia magna (Water flea)

Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)	
LC50 - Fish [1]	2.67 mg/l
EC50 - Crustacea [1]	3.1 mg/l
ErC50 algae	0.143 mg/l
NOEC chronic algae	0.067 mg/l

12.2. Persistence and degradability

MIDA FOAM 157 AY	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sodium hydroxide (1310-73-2)	
Persistence and degradability	Not applicable.

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

MIDA FOAM 157 AY	
Bioaccumulative potential	No bioaccumulation.

Sodium hydroxide (1310-73-2)	
Log Pow	-3.88
Bioaccumulative potential	No bioaccumulation.

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
Bioaccumulative potential	No bioaccumulation.

Potassium hydroxide (1310-58-3)	
Log Pow	0.75

12.4. Mobility in soil
No additional information available

12.5. Results of PBT and vPvB assessment
No additional information available

12.6. Endocrine disrupting properties
No additional information available

12.7. Other adverse effects
No additional information available

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Completely empty the packaging prior to decontamination.

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local legislation.

SECTION 14: Transport information
In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 3266	UN 3266	UN 3266
14.2. UN proper shipping name		
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Corrosive liquid, basic, inorganic, n.o.s.
Transport document description		
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide; Sodium hydroxide), 8, III, (E)	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III	UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide ; Sodium hydroxide), 8, III
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user
Overland transport

Classification code (ADR) : C5

Special provisions (ADR) : 274

Limited quantities (ADR) : 1l

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions (ADR) : T11

Portable tank and bulk container special provisions (ADR) : TP2, TP27

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80
Orange plates :

Tunnel code : E
EAC code : 2X
APP code : B

Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 1 L
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02

Air transport

PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations
Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances
Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.
Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants
Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.
Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	**%**
EDTA and salts thereof, anionic surfactants, polycarboxylates, non-ionic surfactants	<5%
METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE	

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations
No additional information available

15.2. Chemical safety assessment
No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	**Changed item**	**Change**	**Comments**
	Supersedes	Modified	
	Review date	Modified	
	Flammability (solid, gas)	Added	
	Not sustained combustibility	Added	
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.1	Skin contact	Modified	
4.1	Ingestion	Modified	
4.1	Eye contact	Modified	
4.2	Acute effects skin	Modified	
4.2	Acute effects oral route	Modified	
5.1	Suitable extinguishing media	Modified	
5.3	Protection during firefighting	Modified	
6.1	Protective equipment	Modified	
6.1	Emergency procedures	Modified	
6.2	Environmental precaution(s)	Modified	
6.3	Other information	Added	
6.3	Methods for cleaning up	Modified	
6.4	Reference to other sections (8, 13)	Added	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Storage conditions	Modified	
7.2	Incompatible materials	Added	
8.2	Environmental exposure controls	Added	
8.2	Appropriate engineering controls	Added	
8.2	Eye protection	Modified	
9.1	pH solution	Added	
9.1	pH	Modified	
9.1	Melting point/range	Added	
9.1	Viscosity, kinematic	Added	
9.1	Vapour pressure	Added	
9.1	Freezing point	Added	
9.1	Flash point	Added	
9.1	Boiling point/Boiling range	Added	
9.1	Physical state/form	Added	
9.1	Density	Modified	
10.1	Reactivity	Added	
10.5	Material(s) to avoid	Modified	
12.1	Ecology - general	Added	

Indication of changes			
Section	**Changed item**	**Change**	**Comments**
13.1	Product/Packaging disposal recommendations	Added	
13.1	Waste treatment methods	Added	
16	Abbreviations and acronyms	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : It is recommended to pass the information of this safety data sheet in an appropriate form to the users. Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products.
This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsable for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.