MIDA FOAM 160 AT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Review date: 05/04/2021 Supersedes version of: 18/02/2020 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : MIDA FOAM 160 AT
Product code : IT00182
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use
Use of the substance/mixture : Alkaline foam detergent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Christeyns Italia S.r.l. - Divisione Food Hygiene
Via Aldo Moro 30
20060 PESSANO CON BORNAGO (MI) - Italy
T +39 (02) 99765220 - F +39 (02) 99765249
info.fhitalia@christeyns.com - www.christeyns.com

Distributor

Christeyns UK Ltd.
Rutland Street
Bradford BD4 7EA - United Kingdom
T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43
info@christeyns.be - www.christeyns.com

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcout Centre, Harcourt Road
2 Dublin - Ireland
T Tel: +353 1 8146022

Distributor

Christeyns Food Hygiene Ltd.
2, Cameron Court, Winwick Quay
WA2 8RE Warrington - United Kingdom
T +44(0)1925 234696 - F +44(0)1925 234693
UK-foodinfo@christeyns.com - www.christeyns.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318
Aquatic Chronic 3	H412

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS05

CLP Signal word	: Danger
Contains	: Sodium dodecylbenzenesulfonate; Alcohols, ethoxylated, sulfates, sodium salts; N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine; Tetrasodium Ethylene Diamine Tetraacetate; Sodium hydroxide
Hazard statements (CLP)	: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P280 - Wear eye protection, protective clothing, protective gloves. P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor, a POISON CENTER. P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a doctor, a POISON CENTER. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER. P390 - Absorb spillage to prevent material damage.

2.3. Other hazards

Component	
Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide substance with national workplace exposure limit(s) (GB, IE)	(CAS-no) 1310-73-2 (Einecs nr) 215-185-5 (EG annex nr) 011-002-00-6 (REACH-no) 01-2119457892-27	5 – 10	Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
Sodium dodecylbenzenesulfonate	(CAS-no) 25155-30-0 (Einecs nr) 246-680-4 (EG annex nr) / (REACH-no) 01-2119565112-48	5 – 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Diethylene glycol monobutyl ether substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit	(CAS-no) 112-34-5 (Einecs nr) 203-961-6 (EG annex nr) 603-096-00-8 (REACH-no) 01-2119475104-44	3 – 5	Eye Irrit. 2, H319
Sodium cumenesulphonate	(CAS-no) 15763-76-5 (Einecs nr) 239-854-6 (EG annex nr) / (REACH-no) 01-2119489411-37	3 – 5	Eye Irrit. 2, H319
Tetrasodium Ethylene Diamine Tetraacetate	(CAS-no) 64-02-8 (Einecs nr) 200-573-9 (EG annex nr) 607-428-00-2 (REACH-no) 01-2119486762-27	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=1780 mg/kg bodyweight) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Eye Dam. 1, H318 STOT RE 2, H373
Alcohols, ethoxylated, sulfates, sodium salts	(CAS-no) 68891-38-3 (REACH-no) 01-2119488639-16	1 – 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	(CAS-no) 2372-82-9 (Einecs nr) 219-145-8 (REACH-no) 01-2119980592-29	1 – 3	Acute Tox. 3 (Oral), H301 (ATE=261 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

N-dodecylpropane-1,3-diamine	(CAS-no) 5538-95-4 (Einecs nr) 226-902-6	0.1 – 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits**
Sodium hydroxide	(CAS-no) 1310-73-2 (Einecs nr) 215-185-5 (EG annex nr) 011-002-00-6 (REACH-no) 01-2119457892-27	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314
Alcohols, ethoxylated, sulfates, sodium salts	(CAS-no) 68891-38-3 (REACH-no) 01-2119488639-16	(5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : If you feel unwell, seek medical advice.

Inhalation : Get medical advice/attention if you feel unwell.

Skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Call a physician immediately.

Eye contact : Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

Ingestion : Rinse mouth out with water. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin : Burns.

Acute effects eyes : Causes serious eye burns.

Acute effects oral route : Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used. Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, Mist, Spray, vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment. Stop leak without risks if possible.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Never mix with other materials. Never return unused material to original container. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, Mist, Spray, vapours. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Store in corrosive resistant container with a resistant inner liner. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong acids.

Incompatible materials : Metals.

Material(s) to avoid : Acids.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium hydroxide (1310-73-2)	
Ireland - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL STEL	2 mg/m³
Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Diethylene glycol monobutyl ether (112-34-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-(2-Butoxyethoxy)ethanol
IOEL TWA	67.5 mg/m³
IOEL TWA [ppm]	10 ppm
IOEL STEL	101.2 mg/m³
IOEL STEL [ppm]	15 ppm
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Ireland - Occupational Exposure Limits	
Local name	2-(2-Butoxyethoxy)ethanol
OEL TWA [1]	67.5 mg/m³
OEL TWA [2]	10 ppm
OEL STEL	101.2 mg/m³
OEL STEL [ppm]	15 ppm
Notes (IE)	IOELV
Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom - Occupational Exposure Limits	
Local name	2-(2-Butoxyethoxy)ethanol
WEL TWA (OEL TWA) [1]	67.5 mg/m³
WEL TWA (OEL TWA) [2]	10 ppm
WEL STEL (OEL STEL)	101.2 mg/m³

Diethylene glycol monobutyl ether (112-34-5)	
WEL STEL (OEL STEL) [ppm]	15 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures
No additional information available

8.1.3. Air contaminants formed
No additional information available

8.1.4. DNEL and PNEC
No additional information available

8.1.5. Control banding
No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):

8.2.2.1. Eye and face protection

Eye protection:
Wear security glasses which protect from splashes

8.2.2.2. Skin protection

Protective equipment:
Wear suitable protective clothing

Hand protection:
Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:
No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards
No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light yellow.
Odour	: Characteristic.

Odour threshold	: Not available
Melting point/range	: Not applicable
Freezing point	: Not available
Boiling point/Boiling range	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Autoignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 13.5 ± 0.5 (sol. 100%) - 12.5 ± 0.5 (sol. 1%)
Viscosity, kinematic	: Not available
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1,12 ± 0,050 g/ml
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Never mix with other materials. metals.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Diethylene glycol monobutyl ether (112-34-5)	
LD50 oral rat	6600 mg/kg bodyweight
LD50 dermal rabbit	2764 mg/kg bodyweight

LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
LD50 oral rat	1780 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 1 mg/l/4h

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
LD50 oral rat	261 mg/kg (OECD 401)
LD50 dermal	> 600 mg/kg bodyweight (OECD 402)

Sodium cumenesulphonate (15763-76-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity)

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	
LD50 oral rat	> 4100 mg/kg OCDE 401
LD50 dermal rat	> 2000 mg/kg OCDE 402

Skin corrosion/irritation : Causes severe skin burns.
pH: 13.5 ± 0.5 (sol. 100%) - 12.5 ± 0.5 (sol. 1%)

Serious eye damage/irritation : Causes serious eye damage.
pH: 13.5 ± 0.5 (sol. 100%) - 12.5 ± 0.5 (sol. 1%)

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Sodium cumenesulphonate (15763-76-5)	
NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Sodium cumenesulphonate (15763-76-5)	
NOAEL (oral, rat, 90 days)	763 – 3534 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

Diethylene glycol monobutyl ether (112-34-5)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 1000 mg/l
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
ErC50 algae	> 100 mg/l

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	140 mg/l
EC50 72h - Algae [1]	> 100 mg/l
ErC50 algae	> 100 mg/l
NOEC chronic fish	> 25.7 mg/l (Danio rerio)
NOEC chronic crustacea	> 25 mg/l (Daphnia magna)

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
LC50 - Fish [1]	0.68 mg/l Oncorhynchus mykiss (rainbow trout)
LC50 - Fish [2]	0.45 mg/l Lepomis macrochirus (Bluegill sunfish)
EC50 - Crustacea [1]	0.073 mg/l
ErC50 algae	0.054 mg/l Pseudokirchneriella (green algae)
NOEC chronic crustacea	0.032 mg/l
NOEC chronic algae	0.0069 mg/l

Sodium cumenesulphonate (15763-76-5)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	> 100 mg/l

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	
LC50 - Fish [1]	7.1 mg/l OCDE 203
EC50 - Crustacea [1]	7.2 mg/l
EC50 72h - Algae [1]	27.7 mg/l

12.2. Persistence and degradability

MIDA FOAM 160 AT	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sodium hydroxide (1310-73-2)	
Persistence and degradability	Not applicable.

Diethylene glycol monobutyl ether (112-34-5)	
Persistence and degradability	Readily biodegradable.

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
Persistence and degradability	Not readily biodegradable.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
Biodegradation	96 % (OECD Test Guideline 303 A)

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Sodium hydroxide (1310-73-2)	
Log Pow	-3.88
Bioaccumulative potential	No bioaccumulation.

Diethylene glycol monobutyl ether (112-34-5)	
Log Pow	0.56
Bioaccumulative potential	No bioaccumulation.

Tetrasodium Ethylene Diamine Tetraacetate (64-02-8)	
Bioaccumulative potential	No bioaccumulation.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local legislation.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 3267	UN 3267	UN 3267
14.2. UN proper shipping name		
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	Corrosive liquid, basic, organic, n.o.s.
Transport document description		
UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide ; N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine), 8, II, (E)	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide ; N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine), 8, II	UN 3267 Corrosive liquid, basic, organic, n.o.s. (Sodium hydroxide ; N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine), 8, II
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C7
Special provisions (ADR) : 274
Limited quantities (ADR) : 5l
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions (ADR) : TP1, TP28
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80
Orange plates :

Tunnel code : E
EAC code : 2X
APP code : B

Transport by sea

Special provisions (IMDG) : 223, 274
Limited quantities (IMDG) : 5 L
Packing instructions (IMDG) : P001, LP01

IBC packing instructions (IMDG) : IBC03

Air transport

PCA Limited quantities (IATA) : Y841
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 852
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3, A803

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations
Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances
Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.
Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	**%**
anionic surfactants	5-15%
EDTA and salts thereof, phosphonates	<5%
disinfectants	

15.1.2. National regulations
No additional information available

15.2. Chemical safety assessment
No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:			
Section	**Changed item**	**Change**	**Comments**
	Supersedes	Modified	
	Review date	Modified	
	Flammability (solid, gas)	Added	
	Proper Shipping Name (RID)	Added	
	Packing group (RID)	Added	
	Proper Shipping Name (IMDG)	Added	
	UN-No. (RID)	Added	
	Danger labels (ADN)	Added	
	Hazard identification number (RID)	Added	
	Colis express (express parcels) (RID)	Added	
	Special provisions for carriage – Packages (RID)	Added	
	Transport category (RID)	Added	
	Tank codes for RID tanks (RID)	Added	

	Portable tank and bulk container special provisions (RID)	Added	
	Portable tank and bulk container instructions (RID)	Added	
	Mixed packing provisions (RID)	Added	
	Packing instructions (RID)	Added	
	Limited quantities (RID)	Added	
	Special provisions (RID)	Added	
	Classification code (RID)	Added	
	Danger labels (IMDG)	Added	
	Limited quantities (IMDG)	Added	
	IBC packing instructions (IMDG)	Added	
	Special provisions (IMDG)	Added	
	Special provisions for carriage - Packages (ADR)	Added	
	Tank code (ADR)	Added	
	Portable tank and bulk container special provisions (ADR)	Added	
	Portable tank and bulk container instructions (ADR)	Added	
	Mixed packing provisions (ADR)	Added	
	Packing instructions (ADR)	Added	
	Vehicle for tank carriage	Added	
	Proper Shipping Name (IATA)	Modified	
1.2	Industrial/Professional use spec	Added	
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
4.1	Skin contact	Modified	
4.1	Ingestion	Modified	
4.2	Acute effects skin	Modified	
5.1	Suitable extinguishing media	Modified	
5.3	EAC code	Added	
6.1	Emergency procedures	Modified	
6.1	Protective equipment	Modified	
6.2	Environmental precaution(s)	Modified	
6.3	Other information	Added	
6.3	Methods for cleaning up	Modified	
6.4	Reference to other sections (8, 13)	Added	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Storage conditions	Modified	
7.2	Incompatible materials	Added	
8.2	Protective equipment	Modified	

8.2	Environmental exposure controls	Added	
8.2	Appropriate engineering controls	Added	
9.1	Melting point/range	Added	
10.1	Reactivity	Added	
10.3	Possibility of hazardous reactions	Added	
10.4	Conditions and products to avoid	Added	
10.5	Material(s) to avoid	Modified	
12.1	Ecology - general	Added	
13.1	Waste treatment methods	Added	
14.1	UN-No. (ADN)	Added	
14.1	UN-No. (ADR)	Added	
14.1	UN-No. (IMDG)	Added	
14.1	UN-No. (IATA)	Modified	
14.2	Proper Shipping Name (ADN)	Added	
14.2	Proper shipping name	Added	
14.3	Danger labels (ADR)	Added	
14.3	Class (ADR)	Added	
14.3	Danger labels (RID)	Added	
14.4	Packing group (ADN)	Added	
14.4	Packing group (IMDG)	Added	
14.4	Packing group (ADR)	Added	
14.6	Classification code (ADR)	Added	
14.6	Special provisions (ADR)	Added	
14.6	Tunnel code	Added	
14.6	Packing instructions (IMDG)	Added	
14.6	Transport category (ADR)	Added	
14.6	APP code	Added	
14.6	Limited quantities (ADR)	Added	
14.6	Hazard identification number (Kemler No.)	Added	
16	Abbreviations and acronyms	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard

IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : It is recommended to pass the information of this safety data sheet in an appropriate form to the users. Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products. This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsable for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H290	May be corrosive to metals.
H301	Toxic if swallowed.

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.