

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Product name : MIDA FOAM DS  
UFI : XH01-3SJJ-Y10N-XF4Q  
Product code : 616  
Type of product : Biocidal products (e.g. Disinfectants, pest control)  
Product group : Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses**

Main use category : Industrial use, Professional use  
Use of the substance/mixture : Peracetic acid based foam disinfectant  
Biocide – PT2, PT4  
Function or use category : Disinfectant

**Uses advised against**

Restrictions on use : Not for consumer sale or use

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Christeyns NV  
Afrikalaan 182  
9000 GENT  
Belgium  
T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44  
[info@christeyns.be](mailto:info@christeyns.be), [www.christeyns.com](http://www.christeyns.com)

**Distributor**

CHRISTEYNS s.r.o.  
Vítovská 453/7  
CZ 742 35 Odry, Czech Republic  
Czech Republic  
T +420 556 731 111  
[legislativa@christeyns.com](mailto:legislativa@christeyns.com), [www.christeyns.com](http://www.christeyns.com)

**1.4. Emergency telephone number**

Země	Organizace/společnost	Adresa	Telefonní číslo pro naléhavé situace	Komentář
Česká republika	Toxikologické informační středisko Klinika pracovního lékařství VFN a 1. LF UK	Na Bojišti 1 120 00 Praha 2	+420 224 919 293 +420 224 915 402	a jen při poruše +420 224 919 293 +420 224 915 402 tel 725 103 658 (jinak na tomto telefonu nemusí být toxikolog!) Dotazy na AKUTNÍ INTOXIKACE lidí a zvířat se řeší výhradně na přímých telefonních linkách TIS po 24 hod denně

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Oxidising Liquids, Category 2 H272  
Corrosive to metals, Category 1 H290  
Acute toxicity (oral), Category 4 H302  
Skin corrosion/irritation, Category 1, Sub-Category 1B H314  
Serious eye damage/eye irritation, Category 1 H318  
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H335  
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: peracetic acid; Hydrogen peroxide; Alcohol ethoxylated

Hazard statements (CLP)

: H272 - May intensify fire; oxidiser.  
H290 - May be corrosive to metals.  
H302 - Harmful if swallowed.  
H314 - Causes severe skin burns and eye damage.  
H335 - May cause respiratory irritation.  
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P210 - Keep away from heat, sparks, open flames, hot surfaces. – No smoking.  
P234 - Keep only in original container.  
P260 - Do not breathe Mist, Spray, vapours.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P284 - Wear respiratory protection.  
P303+P361+P353+P310 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.  
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P403+P235 - Store in a well-ventilated place. Keep cool.

EUH-statements

: EUH071 - Corrosive to the respiratory tract.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
acetic acid substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-no: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	10 – 30	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Hydrogen peroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, SE, SK, IS, NO, CH)	CAS-no: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845-22	5 – 10	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
Alcohol ethoxylated	CAS-no: 69011-36-5 EC-No.: 931-138-8 REACH-no: Exempted	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318
DODECYLBENZENE SULFONIC ACID	CAS-no: 85536-14-7 EC-No.: 287-494-3 REACH-no: 01-2119490234-40	3 – 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
peracetic acid substance with national workplace exposure limit(s) (BE, CZ, FI, IE, PL, PT, CH)	CAS-no: 79-21-0 EC-No.: 201-186-8 EC Index-No.: 607-094-00-8 REACH-no: 01-2119531330-56	1 – 3	Org. Perox. D, H242 Acute Tox. 2 (Inhalation:dust,mist), H330 (ATE=0.2 mg/l) Acute Tox. 2 (Dermal), H310 (ATE=60 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=80 mg/kg bodyweight) Skin Corr. 1A, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=100) EUH071
sulphuric acid substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, EE, ES, FI, FR, GB, GI, GR, HU, IT, LT, LU, MT, NL, PT, RO, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit	CAS-no: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	0.1 – 1	Skin Corr. 1A, H314

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
acetic acid	CAS-no: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	(10 ≤ C < 25) Eye Irrit. 2; H319 (10 ≤ C < 25) Skin Irrit. 2; H315 (25 ≤ C < 90) Skin Corr. 1B; H314 (90 ≤ C ≤ 100) Skin Corr. 1A; H314
Hydrogen peroxide	CAS-no: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845-22	(5 ≤ C < 8) Eye Irrit. 2; H319 (8 ≤ C < 50) Eye Dam. 1; H318 (35 ≤ C < 100) STOT SE 3; H335 (35 ≤ C < 50) Skin Irrit. 2; H315 (50 ≤ C < 70) Skin Corr. 1B; H314 (50 ≤ C < 70) Ox. Liq. 2; H272 (63 ≤ C < 100) Aquatic Chronic 3; H412 (70 ≤ C < 100) Skin Corr. 1A; H314 (70 ≤ C < 100) Ox. Liq. 1; H271
peracetic acid	CAS-no: 79-21-0 EC-No.: 201-186-8 EC Index-No.: 607-094-00-8 REACH-no: 01-2119531330-56	(1 ≤ C ≤ 100) STOT SE 3; H335
sulphuric acid	CAS-no: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	(5 ≤ C < 15) Skin Irrit. 2; H315 (5 ≤ C < 15) Eye Irrit. 2; H319 (15 ≤ C ≤ 100) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	: Remove person to fresh air and keep comfortable for breathing.
Skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Wash off with plenty of water.
Eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Rinse mouth out with water. Do not induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation	: May cause respiratory irritation.
Acute effects skin	: Causes severe burns.
Acute effects eyes	: Causes serious eye damage.
Acute effects oral route	: Harmful if swallowed. Burns of the upper digestive and respiratory tracts.

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : water in large amounts.

### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : Not applicable.

### 5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area.

#### For emergency responders

Protective equipment : Wear recommended personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water. Do not absorb in sawdust, paper, cloth or other combustible absorbents.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. After use, container has to be completely emptied and closed. Never return unused material to original container.

Hygiene measures : Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep cool. Protect from sunlight. Store in a well-ventilated place. Store away from other materials. Keep only in original container.

Storage temperature : > 0 – < 35 °C

Material(s) to avoid : metals. Organic materials. Bases.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

sulphuric acid (7664-93-9)	
Czech Republic - Occupational Exposure Limits	
Local name	Kyselina sírová
PEL (OEL TWA)	1 mg/m <sup>3</sup> (jako SO <sub>3</sub> ) 0.05 mg/m <sup>3</sup> (mlha koncentrované kyseliny)
NPK-P (OEL C)	2 mg/m <sup>3</sup> (jako SO <sub>3</sub> )
Remark	I - dráždí sliznice (oči, dýchací cesty), resp. kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 20/2025 Sb.)
peracetic acid (79-21-0)	
Czech Republic - Occupational Exposure Limits	
Local name	Kyselina peroxyoctová
PEL (OEL TWA)	0.6 mg/m <sup>3</sup> 0.19 ppm
NPK-P (OEL C)	1.2 mg/m <sup>3</sup>

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>peracetic acid (79-21-0)</b>	
	0.38 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), resp. kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 20/2025 Sb.)
<b>Hydrogen peroxide (7722-84-1)</b>	
<b>Czech Republic - Occupational Exposure Limits</b>	
Local name	Peroxid vodíku
PEL (OEL TWA)	1 mg/m <sup>3</sup> 0.7 ppm
NPK-P (OEL C)	2 mg/m <sup>3</sup> 1.4 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), resp. kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 20/2025 Sb.)
<b>acetic acid (64-19-7)</b>	
<b>Czech Republic - Occupational Exposure Limits</b>	
Local name	Kyselina octová (Kyselina ethanová)
PEL (OEL TWA)	25 mg/m <sup>3</sup> 10 ppm
NPK-P (OEL C)	50 mg/m <sup>3</sup> 20 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), resp. kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 20/2025 Sb.)
<b>DNEL and PNEC</b>	
<b>peracetic acid (79-21-0)</b>	
<b>DNEL/DMEL (Workers)</b>	
Acute - systemic effects, dermal	High health hazard.
Acute - systemic effects, inhalation	0.6 mg/m <sup>3</sup>
Acute - local effects, dermal	0.12 % in mixture
Acute - local effects, inhalation	0.6 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	High health hazard.
Long-term - local effects, dermal	High health hazard.
Long-term - systemic effects, inhalation	0.6 mg/m <sup>3</sup>
Long-term - local effects, inhalation	0.6 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Acute - systemic effects, inhalation	0.6
Acute - local effects, inhalation	0.3 mg/m <sup>3</sup>
Long-term - systemic effects, inhalation	0.6 mg/m <sup>3</sup>
Long-term - local effects, inhalation	0.6 mg/m <sup>3</sup>
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0.000224 mg/l
PNEC aqua (marine water)	Testing technically not feasible
PNEC aqua (intermittent, freshwater)	Testing technically not feasible
PNEC aqua (intermittent, marine water)	Testing technically not feasible

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>peracetic acid (79-21-0)</b>	
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0.00018 mg/kg dwt
PNEC sediment (marine water)	Testing technically not feasible
<b>PNEC (Soil)</b>	
PNEC soil	0.32 mg/kg dwt
<b>PNEC (Oral)</b>	
PNEC oral (secondary poisoning)	Not potentially bioaccumulable
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	0.051 mg/l
<b>Hydrogen peroxide (7722-84-1)</b>	
<b>DNEL/DMEL (Workers)</b>	
Acute - local effects, inhalation	3 mg/m <sup>3</sup>
Long-term - local effects, inhalation	1.4 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Acute - local effects, inhalation	1.93 mg/m <sup>3</sup>
Long-term - local effects, inhalation	0.21 mg/m <sup>3</sup>
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0.0126 mg/l
PNEC aqua (marine water)	0.0126 mg/l
PNEC aqua (intermittent, freshwater)	0.0138 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0.047 mg/kg dwt
PNEC sediment (marine water)	0.047 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	0.0023 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	4.66 mg/l
<b>Alcohol ethoxylated (69011-36-5)</b>	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	2080 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	294 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, oral	25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	87 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	1250 mg/kg bodyweight/day
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0.074 mg/l
PNEC sediment (marine water)	0.0604 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	1.4 mg/l

### 8.2. Exposure controls

#### Personal protection equipment

##### Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Protective clothing. Safety glasses. Wear respiratory protection. Face shield.

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Face shield. Safety glasses with side shields. ISO 16321-1

### Skin protection

#### Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

### Hand protection:

Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: Pungent. vinegar odour.
Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: 100 – 110 °C
Flammability	: Not determined as it is not relevant for the characterization of the product Not flammable
Oxidising properties	: Yes.
Lower explosion limit	: Constituents do not contain chemical groups associated with explosivity
Upper explosion limit	: Constituents do not contain chemical groups associated with explosivity
Flash point	: > 90 °C
Autoignition temperature	: Determination of the auto-ignition temperature is only relevant for pyrophoric liquids, however the mixture is not a pyrophoric liquid so the test is not required.
Decomposition temperature	: Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose.
SADT	: > 60 °C for a 1000L package (based on waiving)
pH	: 2.59
pH solution concentration	: 1 %
Viscosity, kinematic	: 8 mm <sup>2</sup> /s at 20 °C
Viscosity, dynamic	: < 30 mPa·s
Solubility	: Water: Miscible
Partition coefficient n-octanol/water (Log Kow)	: Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.058 kg/l
Relative density	: 1.062
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

#### 10.3. Possibility of hazardous reactions

Contact with alkaline products gives exothermic reaction. Heating may cause a fire or explosion.

#### 10.4. Conditions to avoid

Heating. Direct sunlight.

#### 10.5. Incompatible materials

metals. Organic materials. Bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

MIDA FOAM DS	
ATE CLP (oral)	1717.934 mg/kg bodyweight
sulphuric acid (7664-93-9)	
LD50 oral rat	2140 mg/kg bodyweight Animal: rat, 95% CL: 1540 - 2990
LD50 oral	2140 mg/kg bodyweight
LC50 Inhalation - Rat	0.375 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	375 mg/l
Hydrogen peroxide (7722-84-1)	
LD50 oral rat	431 mg/kg
LD50 dermal rabbit	6440 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h
Alcohol ethoxylated (69011-36-5)	
LD50 oral rat	> 300 (≤ 2000) mg/kg
LD50 dermal rabbit	> 2000 mg/kg
acetic acid (64-19-7)	
LD50 oral rat	3310 mg/kg bodyweight Animal: rat, Remarks on results: other:
LD50 oral	4960 mg/kg bodyweight Animal: mouse, Remarks on results: other:
DODECYLBENZENE SULFONIC ACID (85536-14-7)	
LD50 oral rat	≈ 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588
LD50 oral	1470 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
Skin corrosion/irritation	: Causes severe skin burns. pH: 2.59
peracetic acid (79-21-0)	
pH	0.5
Alcohol ethoxylated (69011-36-5)	
pH	5 – 7

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>acetic acid (64-19-7)</b>	
pH	2.4 Source: ECHA
Serious eye damage/irritation	: Causes serious eye damage. pH: 2.59
<b>peracetic acid (79-21-0)</b>	
pH	0.5
<b>Alcohol ethoxylated (69011-36-5)</b>	
pH	5 – 7
<b>acetic acid (64-19-7)</b>	
pH	2.4 Source: ECHA
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>Hydrogen peroxide (7722-84-1)</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
<b>Hydrogen peroxide (7722-84-1)</b>	
STOT-single exposure	May cause respiratory irritation.
<b>Alcohol ethoxylated (69011-36-5)</b>	
NOAEL (oral, rat)	> 250 mg/kg bodyweight
STOT-repeated exposure	: Not classified
<b>Hydrogen peroxide (7722-84-1)</b>	
NOAEC (inhalation, rat, vapour, 90 days)	7 mg/l
<b>acetic acid (64-19-7)</b>	
NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male
<b>DODECYLBENZENE SULFONIC ACID (85536-14-7)</b>	
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Remarks on results: other:
NOAEL (oral, rat, 90 days)	85 mg/kg bodyweight Animal: rat, Remarks on results: other:
NOAEL (subchronic, oral, animal/female, 90 days)	50 mg/kg bodyweight Animal: , Animal sex: female
Aspiration hazard	: Not classified
<b>MIDA FOAM DS</b>	
Viscosity, kinematic	8 mm <sup>2</sup> /s at 20 °C
<b>peracetic acid (79-21-0)</b>	
Viscosity, kinematic	1.5 mm <sup>2</sup> /s (20°C)
<b>acetic acid (64-19-7)</b>	
Viscosity, kinematic	1015.385 mm <sup>2</sup> /s

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>sulphuric acid (7664-93-9)</b>	
LC50 - Fish [1]	> 16 mg/l
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.15 mg/l Test organisms (species): other:
NOEC chronic fish	0.31 mg/l Test organisms (species): Salvelinus fontinalis Duration: '213 d'
<b>peracetic acid (79-21-0)</b>	
LC50 - Fish [1]	1.1 mg/l
EC50 - Crustacea [1]	0.73 mg/l
ErC50 algae	0.05 mg/l (Selenastrum capricornutum)
NOEC (chronic)	0.0121 mg/l
<b>Hydrogen peroxide (7722-84-1)</b>	
LC50 - Fish [1]	16.4 mg/l
EC50 - Crustacea [1]	2.4 mg/l
EC50 72h - Algae [1]	2.62 mg/l
ErC50 algae	1.38 mg/l
NOEC chronic crustacea	0.63 mg/l
<b>Alcohol ethoxylated (69011-36-5)</b>	
LC50 - Fish [1]	> 1 mg/l
EC50 - Crustacea [1]	> 1 mg/l
ErC50 algae	1 – 10 mg/l
<b>acetic acid (64-19-7)</b>	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 300.82 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	> 300.82 mg/l Test organisms (species): Skeletonema costatum
<b>DODECYLBENZENE SULFONIC ACID (85536-14-7)</b>	
LC50 - Fish [1]	1.67 mg/l Test organisms (species): Lepomis macrochirus
LC50 - Fish [2]	2.88 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	2.9 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	1 mg/l waterflea
EC50 - Other aquatic organisms [2]	10 mg/l
EC50 72h - Algae [1]	7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.23 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '72 d'
NOEC chronic crustacea	1 – 10 mg/l 32 days

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>DODECYLBENZENE SULFONIC ACID (85536-14-7)</b>	
NOEC chronic algae	> 4 mg/l eloda canadensis
<b>12.2. Persistence and degradability</b>	
<b>MIDA FOAM DS</b>	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
<b>sulphuric acid (7664-93-9)</b>	
Persistence and degradability	Rapidly degradable
<b>peracetic acid (79-21-0)</b>	
Persistence and degradability	Biodegradable, OECD 301E method (Ready biodegradability: Modified OECD Screening Test).
<b>Hydrogen peroxide (7722-84-1)</b>	
Persistence and degradability	Biodegradable.
<b>Alcohol ethoxylated (69011-36-5)</b>	
Persistence and degradability	Readily biodegradable, according to appropriate OECD test, Not established.
<b>acetic acid (64-19-7)</b>	
Persistence and degradability	Not rapidly degradable
Biodegradation	74 % 14 days
<b>DODECYLBENZENE SULFONIC ACID (85536-14-7)</b>	
Persistence and degradability	Not rapidly degradable
Biodegradation	> 70 % 28 days: OECD 301 A
<b>12.3. Bioaccumulative potential</b>	
<b>MIDA FOAM DS</b>	
Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Bioaccumulative potential	No bioaccumulation.
<b>sulphuric acid (7664-93-9)</b>	
Log Pow	-1
<b>peracetic acid (79-21-0)</b>	
Partition coefficient n-octanol/water (Log Kow)	≈ -0.26 @ 20 °C
Bioaccumulative potential	Not established.
<b>Hydrogen peroxide (7722-84-1)</b>	
Bioaccumulative potential	No bioaccumulation.
<b>Alcohol ethoxylated (69011-36-5)</b>	
Partition coefficient n-octanol/water (Log Kow)	4.73
Bioaccumulative potential	No bioaccumulation. Not established.
<b>acetic acid (64-19-7)</b>	
Log Pow	-0.2
<b>DODECYLBENZENE SULFONIC ACID (85536-14-7)</b>	
Log Pow	2

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

peracetic acid (79-21-0)	
Other information	Avoid release to the environment.
Alcohol ethoxylated (69011-36-5)	
Other information	No other effects known,Avoid release to the environment.

## SECTION 13: Disposal considerations




### 13.1. Waste treatment methods

Waste / unused products

: Collect all waste in suitable and labelled containers and dispose according to local legislation.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
<b>14.1. UN number or ID number</b>		
UN 3098	UN 3098	UN 3098
<b>14.2. UN proper shipping name</b>		
OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid)	OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid)	Oxidizing liquid, corrosive, n.o.s. (Acetic acid Peracetic acid)
<b>Transport document description</b>		
UN 3098 OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid), 5.1 (8), III, (E), ENVIRONMENTALLY HAZARDOUS	UN 3098 OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid), 5.1 (8), III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3098 Oxidizing liquid, corrosive, n.o.s. (Acetic acid Peracetic acid), 5.1 (8), III, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>		
5.1 (8)	5.1 (8)	5.1 (8)
		
<b>14.4. Packing group</b>		
III	III	III
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-Q	Dangerous for the environment: Yes
No supplementary information available		

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: OC1
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P504, IBC02, R001
Mixed packing provisions (ADR)	: MP2
Transport category (ADR)	: 3
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Tunnel code	: E

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P504
IBC packing instructions (IMDG)	: IBC02
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: H1
Segregation (IMDG)	: SG38, SG49, SG60
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes. Particular care in handling should be exercised if packages have become wetted.

### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y541
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 551
PCA max net quantity (IATA)	: 2.5L
CAO packing instructions (IATA)	: 555
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3
ERG code (IATA)	: 5C

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (EU 2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Hydrogen peroxide	7722-84-1	12 % w/w	35% w/w	2847 00 00	ex 3824 99 96
Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

### Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 00	Category 3		Annex I

### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

peracetic acid

## SECTION 16: Other information

### Indication of changes

Section	Changed item	Comments
	Type of product	<b>Modified</b>
	Review date	<b>Modified</b>
	Supersedes	<b>Modified</b>
7.2	Material(s) to avoid	<b>Modified</b>
7.2	Storage temperature	<b>Added</b>
10.1	Reactivity	<b>Removed</b>
10.2	Stability	<b>Modified</b>
10.3	Possibility of hazardous reactions	<b>Added</b>
10.4	Conditions and products to avoid	<b>Modified</b>
10.5	Material(s) to avoid	<b>Modified</b>
10.6	Risks, due to products, formed by thermal decomposition	<b>Modified</b>

### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ErC50 (algae)	ErC50 (algae)
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Other information : It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.  
This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Org. Perox. D	Organic Peroxides, Type D
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.

# MIDA FOAM DS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Ox. Liq. 2	H272	Expert judgement
Met. Corr. 1	H290	Calculation method
Acute Tox. 4 (Oral)	H302	Calculation method
Skin Corr. 1B	H314	Expert judgement
Eye Dam. 1	H318	Expert judgement
STOT SE 3	H335	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.