

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Review date: 25/02/2021 Supersedes version of: 01/03/2018 Version: 1.2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : PHAGO'DERM ASEPT

Product code : 1580
Product group : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Disinfectant soap

### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Christeyns France S.A.
rue de la Maladrie 31
44120 VERTOU - France
T +33 (0)240 80 27 27 - F +33 (0)240 03 09 73

health-security@christeyns.fr - www.christeyns.com

#### Distributor

Christeyns UK Ltd. Rutland Street

Bradford BD4 7EA - United Kingdom

T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43

info@christeyns.be - www.christeyns.com

## Distributor

Christeyns Food Hygiene Ltd.
2, Cameron Court, Winwick Quay
WA2 8RE Warrington - United Kingdom
T +44(0)1925 234696 - F +44(0)1925 234693
UK-foodinfo@christeyns.com - www.christeyns.com

#### Distributor

Casoria Company Ltd. 1 Farnham Street H12 A9K0 Cavan - Ireland

T 00353 49 4361869 - F 00353 49 436 1869

sds@casoria.ie - www.casoria.ie

#### Distributor

Christeyns Technologies Ltd.

Mazars, Block 3, Harcout Centre, Harcourt Road

2 Dublin - Ireland

T Tel: +353 1 8146022

# 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Eye Irrit. 2 H319

Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

CLP Signal word

: Danger

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, open flames, sparks. — No smoking. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

Component			
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
Amines, C12-14 (even numbered)- alkyldimethyl, Noxides, (308062-28-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol substance with a Community workplace exposure limit	(CAS-no) 64-17-5 (Einecs nr) 200-578-6 (EG annex nr) 603-002-00-5 (REACH-no) 01-2119457610-43	30 – 60	Flam. Liq. 2, H225 Eye Irrit. 2, H319
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts	(CAS-no) 147170-44-3 (REACH-no) 01-2119489410-39	1 – 3	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Amines, C12-14 (even numbered)- alkyldimethyl, Noxides,	(CAS-no) 308062-28-4 (Einecs nr) 931-292-6 (REACH-no) 01-2119490061-47	0.1 – 1	Acute Tox. 4 (Oral), H302 (ATE=500.00000 mg/kg) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts	(CAS-no) 147170-44-3 (REACH-no) 01-2119489410-39	( 4 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">( 10 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c></c>	

Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice : In case of doubt or persistent symptoms, consult always a physician. For symptom

description, see item 11.

Inhalation : Move to fresh air.
Skin contact : Rinse with water.

Eye contact : Wash with plenty of water and if necessary take medical advice. Ingestion : Rinse mouth. Do not induce vomiting. Ask for medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : No data available.
Acute effects skin : No data available.

Acute effects eyes : Causes serious eye irritation.

Acute effects oral route : No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Foam, powder, carbon dioxide (CO2), water spray.

# 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

#### 6.1.2. For emergency responders

No additional information available

# 6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Wash away remainder with plenty of water.

#### 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product. Shower, eyes shower and water point

in proximity.

Hygiene measures : Do not eat, drink or smoke when using this product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Protect from heat and direct sunlight.

Storage temperature  $: 5 - 30 \, ^{\circ}\text{C}$  Material(s) to avoid : Not determined.

Storage area : Store in a cool area. Keep container in a well-ventilated place.

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Ethanol (64-17-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	1900 mg/m³	
IOEL TWA [ppm]	1000 ppm	
IOEL STEL	9500 mg/m³	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethanol (64-17-5)	
IOEL STEL [ppm]	5000 ppm

## 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

Ethanol (64-17-5)			
DNEL/DMEL (Workers)			
Acute - local effects, inhalation	1900 mg/m³		
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	950 mg/m³		
DNEL/DMEL (General population)			
Acute - local effects, inhalation	950 mg/m³		
Long-term - systemic effects,oral	87 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	114 mg/m³		
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	0.96 mg/l		
PNEC aqua (marine water)	0.79 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	3.6 mg/kg dwt		
PNEC sediment (marine water)	2.9 mg/kg dwt		
PNEC (Soil)	PNEC (Soil)		
PNEC soil	0.63 mg/kg dwt		
PNEC (Oral)			
PNEC oral (secondary poisoning)	0.72 mg/kg food		
PNEC (STP)			
PNEC sewage treatment plant	580 mg/l		

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	12.5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	44 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	7.5 mg/kg bodyweight/day	
.ong-term - systemic effects, dermal 7.5 mg/kg bodyweight/day		
PNEC (Water)		
PNEC aqua (freshwater) 0.0135 mg/l		
PNEC aqua (marine water) 0.00135 mg/l		
PNEC (Sediment)		
PNEC sediment (freshwater)	1 mg/kg dwt	
PNEC sediment (marine water)	0.1 mg/kg dwt	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PNEC (Soil)		
PNEC soil 0.8 mg/kg dwt		
PNEC (STP)		
PNEC sewage treatment plant	3000 mg/l	

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

### 8.2.2.1. Eye and face protection

Eye protection:	
Not applicable	

#### 8.2.2.2. Skin protection

Protective equipment:	
No special required clothing	

Hand protection:	
Not applicable	

### 8.2.2.3. Respiratory protection

Respiratory protection:	
Not required	

## 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

No additional information available

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Physical state/form : Viscous liquid. Odour : alcohol odour. Odour threshold : Not available Melting point/range : Not available Freezing point : Not available Boiling point/Boiling range : > 35 °C Flammability : Not available **Explosive limits** : Not available Lower explosive limit (LEL) : Not available : Not available Upper explosive limit (UEL) Flash point : < 23 °C Autoignition temperature : Not available Decomposition temperature : Not available : 7.1 рΗ

Viscosity, kinematic : 615 mm<sup>2</sup>/s Viscosity, dynamic : 557 mPa·s

Solubility : Water: 100 % 20°C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available : Not available Density Relative density : ≥ 0.907 (20°C) Relative vapour density at 20 °C : Not available Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 55 %

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

#### 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

Heat. Direct sunlight.

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. nitrogen oxides (NOx).

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethanol (64-17-5)	
LD50 oral rat > 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Vapours)	> 20 mg/l/4h

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4)	
LD50 oral rat	1064 mg/kg

Skin corrosion/irritation : Not classified

pH: 7.1

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation.

pH: 7.1

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

## Ethanol (64-17-5)

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

## **PHAGO'DERM ASEPT**

Viscosity, kinematic 615 mm²/s

#### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - general : Not classified according 1272/2008/CE.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Ethanol (64-17-5)	
LC50 - Fish [1]	11200 mg/l
ErC50 algae	275 mg/l

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)	
LC50 - Fish [1]	1.11 mg/l
EC50 - Crustacea [1]	1.9 mg/l
NOEC chronic fish	≤ 1 mg/l

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4)	
LC50 - Fish [1] 2.67 mg/l	
EC50 - Crustacea [1]	3.1 mg/l
ErC50 algae	0.143 mg/l
NOEC chronic algae	0.067 mg/l

# 12.2. Persistence and degradability

PHAGO'DERM ASEPT	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethanol (64-17-5)	
Biochemical oxygen demand (BOD)	0.1 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.9 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

Ethanol (64-17-5)	
Partition coefficient n-octanol/water (Log Kow)	-0.3

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Component	
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Amines, C12-14 (even numbered)- alkyldimethyl, Noxides, (308062-28-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) : Follow the local regulation.

Waste treatment methods : Dispose of in accordance with relevant local regulations.

Waste / unused products : Do not discharge into drains or the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID n	umber	
UN 1170	UN 1170	UN 1170
14.2. UN proper shippin	g name	
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethanol solution
Transport document descr	iption	
UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III	UN 1170 Ethanol solution, 3, III
14.3. Transport hazard	class(es)	
3	3	3
3	3	3
14.4. Packing group		
III	III	III

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.5. Env	ironmental	l hazards
-----------	------------	-----------

Dangerous for the environment : No Dangerous for the environment : No

Marine pollutant : No

Dangerous for the environment: No

No supplementary information available

#### 14.6. Special precautions for user

**Overland transport** 

Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 5I

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2

(ADR)

Portable tank and bulk container special provisions

(ADR)

: TP1

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates

30 1170

Tunnel code : D/E EAC code : •2YE

Transport by sea

Special provisions (IMDG): 144, 223Limited quantities (IMDG): 5 LPacking instructions (IMDG): P001, LP01IBC packing instructions (IMDG): IBC03

Air transport

PCA Limited quantities (IATA) : Y344

PCA limited quantity max net quantity (IATA) : 10L

PCA packing instructions (IATA) : 355

PCA max net quantity (IATA) : 60L

CAO packing instructions (IATA) : 366

CAO max net quantity (IATA) : 220L

Special provisions (IATA) : A3, A58, A180

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 55 %

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information, restriction and prohibition regulations

: Not affected by the conditions of restriction \_ ANNEXE XVII.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

Other information

: It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users. Such information is actually to be best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other product(s). EC Regulation 1272/2008 and its amendments.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Flam. Liq. 2	H225	On basis of test data	
Eye Irrit. 2	H319	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.